

## **Research Article**

# Current Research in Statistics & Mathematics

# An Elementary Proof of Goldbach's Conjecture v. 3.10

## **Ronald Danilo Chavez Calderon\***

University of San Carlos of Guatemala (USAC)

#### \*Corresponding Author

Ronald Danilo Chavez Calderon, Los Trigales Colony, Quetzaltenango, Guatemala

Submitted: 2023, Nov 06; Accepted: 2023, Dec 06; Published: 2023, Dec 21

Citations: Calderon, R. D. C. (2023). An Elementary Proof of Goldbach's Conjecture v. 3.10. Curr Res Stat Math, 2(1), 109-140.

#### Abstract

In this present paper we will show you an elementary proof of the Goldbach's Conjecture based on probabilities and some new theoretical findings.

**Keywords:** Prime,  $\Pi(X)$ , Prime Counting Function, Goldbach's Conjecture, Probability, Proof

#### 1. Introduction

On the year 1742, professor Christian Goldbach had some correspondence with the famous mathematician Leonhard Euler establishing, in your comments, the basis of the problem that we know in modern times as" Goldbach's Conjecture", that says" EVERY EVEN NUMBER GREATER OR EQUAL TO 4 IS THE SUM OF TWO PRIMES" [1, 2].

In the dawn of January 9 in 2022 we was thinking, relaxed, at the moment of almost sleeping, about how to solve the problem, that arose by a random though, and suddenly became in an illuminated key idea: PROBABILITIES. We have an even number greater or equal to 4 that can be expressed as the sum of two numbers. Some combinations are: not prime + not prime, prime

+ not prime, not prime + prime and prime + prime. We mean: not prime" and" not prime, prime" and" not prime, not prime" and" prime and prime" and" prime. We have a set of pairs and like the set of poker all the possibilities of its combinations can be calculated as probabilities and all of them exists actually as events. Maybe it is almost impossible to make an arithmetical proof of the conjecture because of its nature but we can make use of another kind of theory to investigate it: basic probability theory. In two hours of strong thinking we came to the solution of the first theorem as a sketch. In the next afternoon we proceeded to write the first proof and calculate its correctness. Later on, February 22 of 2023 we discovered the third theorem and on September 4 of 2023 the fourth theorem. Studying the problem, we arrived to some new theoretical surprises:

$$\lim_{x \to \infty} \frac{\pi(x)}{x} = \pi_0$$

$$0 < \pi_0 < \frac{9592}{100000}$$

$$0 < \pi_0 < 0.09592$$

And  $(\pi(x))^2 > x$ 

We show you the results for your enjoyment.

# 2. Preliminary Theorems and Corollary

Theorem 1. (Christian Goldbach 1742, Danilo Chavez 2022-01-17)

Let be  $N \ge 88784$  EVEN NUMBERS. Let be  $E: \{1,2,3,...N-1\}$  a set of numbers smaller than N. Let be  $E \times E: \{(1,1),(1,2),(1,3),...(N-1,N-2),(N-1,N-1)\}$  the cartesian product of every number smaller than N which represents the pairs of sums of the numbers. The cardinality of the set  $E \times E$  is #

$$(E \times E) = (N-1)^2$$

which represents the total quantity of sums between the numbers.

Let be  $G: \{(1,N-1),(2,N-2),(3,N-3),...(N-2,2),(N-1,1)\}$  a subset of  $E \times E$  which REPRESENTS the set of PAIRS whose sum is equal to N.

The cardinality of the set G is

$$#G = N - 1$$

If we consider INDEPENDENT EVENTS in the calculation of the probabilities of the set G then

$$P(\text{prime} \cap \text{prime}) = \frac{(\pi(N-1)^2)}{(N-1)^2} \neq 0$$

then

"EVERY EVEN NUMBER GREATER OR EQUAL TO 4 IS THE SUM OF TWO PRIMES"

#### **Proof.** Proof by contradiction.

The case of  $4 \le N \le 88783$  is very known to be true by intensive computation by We will take the case of  $N \ge 88784$  as even numbers, the limit given in 2010, in page 9 [3-6]. When we take a pair whose sum is equal to N (an even number), we can see the event of taking two numbers whose possible combinations are: not prime + not prime, prime + not prime, not prime + prime, prime + prime. That means: not prime AND not prime, prime AND not prime, not prime AND prime, prime AND prime. We can calculate the probability of each one of that events. If the probability of an event exists is because the event actually exists (the pairs of numbers we are looking for) like in a set of poker. We are looking for the event where we have a prime + prime, that means prime AND prime, simultaneously, in the subset G (G by Goldbach).

DEFINITION OF COUNTEREXAMPLE TO TEST. Suppose an hypothetical even number N that CAN NOT be expressed as the sum of two prime numbers. If we suppose that the event to find one number simultaneously with another number whose sum is equal to N are totally INDEPENDENT events, we have that the probabilities of the numbers given its sums equal to N are as follows

$$P(\text{not prime} \cap \text{not prime}) = \left(\frac{(N-1) - \pi(N-1)}{N-1}\right) \left(\frac{(N-1) - \pi(N-1)}{N-1}\right)$$

$$= \frac{((N-1) - \pi(N-1))^2}{(N-1)^2}$$

$$P(\text{prime} \cap \text{not prime}) = \left(\frac{\pi(N-1)}{N-1}\right) \left(\frac{(N-1) - \pi(N-1)}{N-1}\right)$$

$$= \frac{(\pi(N-1))((N-1) - \pi(N-1))}{(N-1)^2}$$

$$P(\text{not prime} \cap \text{prime}) = \left(\frac{(N-1) - \pi(N-1)}{N-1}\right) \left(\frac{\pi(N-1)}{N-1}\right)$$

$$= \frac{(\pi(N-1))((N-1) - \pi(N-1))}{(N-1)^2}$$

Because the hypothetical number we choose CAN NOT be expressed as the sum of two prime numbers P (prime  $\cap$  prime) = 0

The probability of all its possibilities are as follows

P ((not prime  $\cap$  not prime)  $\cup$  (prime  $\cap$  not prime)  $\cup$  (not prime  $\cap$  prime)  $\cup$  (prime  $\cap$  prime))

$$= \frac{((N-1) - \pi(N-1))^2}{(N-1)^2} + \frac{(\pi(N-1))((N-1) - \pi(N-1))}{(N-1)^2} + \frac{(\pi(N-1))((N-1) - \pi(N-1))}{(N-1)^2} + 0$$

$$= \frac{(N-1)^2 - (\pi(N-1))^2}{(N-1)^2} < 1$$

An ABSURD because we have considered all the possibilities of such an hypothetical number

N, the sum must be equal to 1!!, the fraction of pairs of numbers whose sum is equal to N. WE FOUND A CONTRADICTION!!. DOES NOT EXIST such a number whose sum never is a prime plus another prime if we consider INDEPENDENT EVENTS. We conclude that "EVERY EVEN NUMBER GREATER OR EQUAL TO 4 IS THE SUM OF TWO PRIME NUMBERS" if we consider INDEPENDENT EVENTS.

Observation: To reaffirm our result, we can see that assigning a probability to the two prime numbers combination we have

$$\begin{split} P(\text{prime} \cap \text{prime}) &= \left(\frac{\pi(N-1)}{N-1}\right) \left(\frac{\pi(N-1)}{N-1}\right) \\ &= \frac{(\pi(N-1))^2}{(N-1)^2} \end{split}$$

The probability of all the possibilities are as follows

 $P(\text{(not prime } \cap \text{ not prime)} \cup (\text{prime } \cap \text{ not prime)} \cup (\text{prime } \cap \text{ prime)}))$ 

$$= \frac{((N-1) - \pi(N-1))^2}{(N-1)^2} + \frac{(\pi(N-1))((N-1) - \pi(N-1))}{(N-1)^2} + \frac{(\pi(N-1))((N-1) - \pi(N-1))}{(N-1)^2} + \frac{(\pi(N-1))^2}{(N-1)^2} - 1$$

This is the probability of the set G of numbers whose sum is equal to N. Because

$$P(\text{prime} \cap \text{prime}) = \frac{(\pi(N-1)^2)}{(N-1)^2} \neq 0$$

Always there is N = prime + prime.

We finally conclude again that, if we consider INDEPENDENT EVENTS, "EVERY EVEN NUMBER GREATER OR EQUAL TO 4 IS THE SUM OF TWO PRIME NUMBERS".

Quod erat demonstrandum (Q.E.D).

**Theorem 2.** (Danilo Ch'avez 2023-09-08) Let be  $x \ge 88783$ . Let be  $0 < \pi 0 < 1$ .

$$\lim_{x \to \infty} \frac{\pi(x)}{x} = \pi_0$$

*Proof.* We begin establishing a limit

$$\lim_{x \to \infty} \frac{\pi(x)}{x} = \pi_0$$

where there is some constant  $\pi_0 < 1$ . We will show that  $\pi_0 > 0$ .

If we go near the infinite, we have the next relationship

$$x - \pi(x) = (1 - \pi_0)x$$

This implies that always there is a finite distance between x and  $\pi(x)$  and is proportional to x. If we make  $\pi_0 = 0$  we have

something impossible because x and  $\pi(x)$  are both growing functions and  $\pi(x) \neq 0$  if  $x \geq 2$ , our assumption that  $\pi_0 = 0$  fails, this mean that

 $\pi_0 \neq 0$ 

and

 $0 < \pi_0 < 1$ 

CASĚ 2:

For finite numbers we see that there is always a proportion

$$\pi(x) = k(x)x$$

with k(x) < 1 and

 $k(x) \neq 0$ 

because  $\pi(x)$  NEVER IS ZERO if  $x \ge 2$  and is a strictly growing function, so

$$\frac{\pi(x)}{r} = k(x)$$

0 < k(x) < 1

CASE 3:

In 1962, J. Barkley Rosser and Lowell Schoenfeld [7] proved that if  $x \ge 17$ 

$$\pi(x) > \frac{x}{\ln(x)}$$

In 2010, Pierre Dusart [6], in page 9, proved that if  $x \ge 88783$ 

$$\pi(x) \ge \frac{x}{\ln(x)} \left( 1 + \frac{1}{\ln(x)} + \frac{2}{(\ln(x))^2} \right)$$

and it follows that

$$\pi(x) > \frac{x}{\ln(x)}$$

Starting at this point, if  $x \ge 88783$ 

$$\pi(x) > \frac{x}{\ln(x)}$$

$$\frac{\pi(x)}{x} > \frac{1}{\ln(x)}$$

$$\frac{\pi(x)}{x} = k(x) > \frac{1}{\ln(x)}$$

$$\lim_{x \to \infty} \frac{\pi(x)}{x} = \lim_{x \to \infty} k(x) = \pi_0 > \lim_{x \to \infty} \frac{1}{\ln(x)} = 0$$

so

 $\pi 0 > 0$ 

CONCLUSION:

Finally we have that

$$\lim_{x \to \infty} \frac{\pi(x)}{x} = \pi_0$$
$$0 < \pi_0 < 1$$

Quod erat demonstrandum (Q.E.D).

We can stretch a little more the interval where  $\pi_0$  and  $\pi_0^2$  lies. Taking the value x = 100000 (by the tables below this commentary) we have

$$(k(100000))^{2} = \frac{(\pi(100000))^{2}}{100000^{2}} = \frac{9592^{2}}{100000^{2}} = \frac{92006464}{10000000000} = 0.0092006464 > \lim_{x \to \infty} (k(x))^{2} = \pi_{0}^{2}$$
$$\pi_{0} < \frac{9592}{100000} = 0.09592$$

and knowing that

k(x) > 0<br/>and<br/> $(k(x))^2 > 0$ 

finally, we have

$$0 < \pi_0 < \frac{9592}{100000}$$
$$0 < \pi_0 < 0.09592$$

and


$$0 < \pi_0^2 < \frac{92006464}{10000000000}$$
$$0 < \pi_0^2 < 0.0092006464$$

In the next tables we can see the actual values of x,  $\pi(x)$ , k(x) and  $(k(x))^2$ , from 1000 to 100000 taking 100 values, 1000, 2000, 3000 until 100000.  $\pi(x)$  is taken from N. J.A. Sloane OEIS A000720 [8].

х		pi(x)	pi(x)/x = k(x)	$(pi(x))^2 / (x^2) = (k(x))^2$
	1000			0.028224
	2000			0.02295225
	3000			0.0205444444444444
	4000			0.01890625
	5000			0.01790244
	6000			0.01703025
	7000	900		0.016530612244898
	8000	1007	0.125875	0.015844515625
	9000		0.124111111111111	0.0154035679012346
	10000			0.01510441
	11000			0.014729132231405
	12000			0.014360027777778
	13000		0.119	0.014161
	14000		0.118	0.013924
	15000			0.013673404444444
	16000		0.116375	0.013543140625
	17000			0.0132927335640138
	18000			0.0131484444444444
	19000			0.0129001772853186
	20000		0.1131	0.01279161
	21000			0.0126294784580499
	22000		0.112	0.012544
	23000			0.0124274026465028
	24000			0.0123580277777778
	25000			0.0122058304
	26000			0.0121
	27000		0.1096666666666667	0.012026777777778
	28000			0.011904368622449
	29000			0.0118209381688466
	30000			0.0117000277777778
	31000			0.0116083246618106
	32000		0.107741333403071	0.0115025625
	33000			0.0114944389348026
	34000			0.011449
	35000			0.011369652244898
	36000			0.0112831604938272
	37000			0.0112417304601899
	38000		0.105710526315789	0.0111747153739612
	39000			0.0110897100591716
	40000			0.011040755625
	41000			0.0109534092801904
	42000			0.0109351836734694
	43000			0.0109226803677664
	44000			0.0108301864669421
	45000			0.0107929012345679
	46000			0.01071225
	47000			0.0106528750565867
	48000			0.0106175850694444
	49000			0.0105586109954186
	50000			0.0105300105954100
	30000	5155	0.10200	0.0105390736

	•		
51000	5222	0.102392156862745	0.010484153787005
52000	5319	0.102288461538462	0.0104629293639053
53000	5408	0.102037735849057	0.0104116995372019
54000	5500	0.101851851851852	0.0103737997256516
55000	5590	0.101636363636364	0.0103299504132231
56000	5683	0.101482142857143	0.0102986253188776
57000	5782	0.101438596491228	0.0102897888581102
58000	5873	0.101258620689655	0.0102533082639715
59000	5963	0.101067796610169	0.0102146995116346
60000	6057	0.10095	0.0101909025
61000	6145	0.100737704918033	0.0101480851921526
62000	6232	0.100516129032258	0.0101034921956296
63000	6320	0.10031746031746	0.0100635928445452
64000	6413	0.100203125	0.0100406662597656
65000	6493	0.0998923076923077	0.00997847313609468
66000	6591	0.0998636363636364	0.0099727458677686
67000	6675	0.0996268656716418	0.00992551236355536
68000	6774	0.0996176470588235	0.00992367560553633
69000	6854	0.09933333333333333	0.00986711111111111
70000	6935	0.0990714285714286	0.00981514795918367
71000	7033	0.099056338028169	0.00981215810355088
72000	7128	0.099	0.009801
73000	7218	0.0988767123287671	0.00977660424094577
74000	7301	0.0986621621621622	0.00973422224251278
75000	7393	0.09857333333333333	0.00971670204444444
76000	7484	0.0984736842105263	0.00969706648199446
77000	7567	0.0982727272727273	0.00965752892561984
78000	7662	0.0982307692307692	0.00964928402366864
79000	7746	0.0980506329113924	0.00961392661432463
80000	7837	0.0979625	0.00959665140625
81000	7925	0.0978395061728395	0.0095725689681451
82000	8017	0.0977682926829268	0.00955863905413444
83000	8106	0.0976626506024096	0.00953799332268834
84000	8190	0.0975	0.00950625
85000	8277	0.0973764705882353	0.00948217702422145
86000	8362	0.0972325581395349	0.00945417036235803
87000	8450	0.0971264367816092	0.00943354472189193
88000	8545	0.0971022727272727	0.00942885136880165
89000	8619	0.0968426966292135	0.00937850789041788
90000	8713		0.0093723912345679
91000	8802	0.0967252747252747	0.00935577877067987
92000	8887	0.0965978260869565	0.0093311400047259
93000	8984	0.0966021505376344	0.00933197548849578
94000	9070	0.0964893617021277	0.00931019692168402
95000	9157	0.0963894736842105	0.00929093063711911
96000	9252	0.096375	0.009288140625
97000	9336		0.00926356637262196
98000	9418		0.00923560224906289
99000	9505	0.096010101010101	0.0092179394959698
100000	9592	0.09592	0.0092006464
100000	3332	0.00032	0.0002000404

In the next graphic we can see the values of the tables above of k(x) and  $(k(x))^2$ 



# Corollary 1. (Danilo Ch'avez 2023-09-13)

Let be  $x \ge 2$ . Let be  $0 < \pi_0 < 1$ 

$$\lim_{x \to \infty} \frac{\pi(x)}{x} = \pi_0$$

then

$$\frac{(\pi(x))^2}{x^2} \neq 0$$

Proof. We saw in theorem 2 that

$$\frac{\pi(x)}{x} = k(x)$$
$$0 < k(x) < 1$$

and

$$\lim_{x \to \infty} \frac{\pi(x)}{x} = \pi_0$$

$$0 < \pi_0 < 1$$

Squaring we have

$$\lim_{x \to \infty} \frac{(\pi(x))^2}{x^2} = \pi_0^2$$

$$0 < \pi_0 < 1$$

Finally

$$\frac{(\pi(x))^2}{x^2} \neq 0$$

Quod erat demonstrandum (Q.E.D).

We see that the function

$$\frac{(\pi(N-1))^2}{(N-1)^2} \neq 0$$

which represents the probability to find N = prime + prime, if we SUPPOSE INDEPENDENT EVENTS, is always greater than ZERO. This result is necessary to understand the proof of Goldbach's Conjecture.

# **3. Preliminary Lemmas On** $(\pi(x))^2 > x$

Theorem 3. (Danilo Ch'avez 2023-08-08)

Let be x > 0. If  $e^x > x^2$  then

$$e^{\sqrt{x}} > x$$

Proof. Let  $f(x) = e^x$  and  $g(x) = x^2$ . We know that, if  $x \ge 0$ 

$$e^x > x^2$$

Taking the inverse functions of f(x) and g(x),  $f^{-1}(x) = ln(x)$  and  $g^{-1}(x) = \sqrt{x}$ , we have

$$\sqrt{x} > ln(x)$$


Now developing it's consequences we have

$$\sqrt{x} > ln(x)$$


$$e^{\sqrt{x}} > x$$

Quod erat demonstrandum (Q.E.D).


In the first graphic we can see that  $e^x > x^2$ 



In the second graphic we can see that  $\sqrt{x} > \ln(x)$ 



In the third graphic we can see that  $e^{\sqrt{x}+1} > e^{\sqrt{x}} > x$ 



Now we show four different approaches to prove that  $(\pi(x))^2 > x$ .

Lemma 1. (Danilo Chávez 2023-02-10)

Let be  $x \ge 5393$ . If  $e^{\sqrt{x}+1} > x$  then

$$(\pi(x))^2 > x$$

Proof. First we begin with an inequality by theorem 2 (please see the graphics of the lemmas at the end)

$$e^{\sqrt{x}+1} > e^{\sqrt{x}} > x$$

$$e^{\sqrt{x}+1} > x$$

Rearranging we have

$$\sqrt{x} + 1 > \ln(x)$$

$$\sqrt{x} > \ln(x) - 1$$

$$\frac{\sqrt{x}}{\ln(x) - 1} > 1$$

$$\frac{x}{\ln(x) - 1} > \sqrt{x}$$

In 2010, Pierre Dusart [6] proved that

$$\pi(x) > = \frac{x}{\ln(x) - 1}$$

if

$$x > = 5393$$

So

$$\pi(x) >= \frac{x}{\ln(x) - 1} > \sqrt{x}$$
$$\pi(x) > \sqrt{x}$$

and it follows that

$$(\pi(x))^2 > x$$

Quod erat demonstrandum (Q.E.D).

**Lemma 2.** (Danilo Chávez 2023-02-15)

Let be  $x \ge 17$ . If  $e^{\sqrt{x}} > x$  then

$$(\pi(x))^2 \ge x$$

*Proof.* First we begin with an inequality by theorem 2 (please see the graphics of the lemmas at the end)

$$e^{\sqrt{x}} > x$$

Rearranging we have

$$\sqrt{x} > \ln(x)$$

$$x > (\ln(x))^{2}$$

$$\frac{x}{(\ln(x))^{2}} > 1$$

$$\frac{x^{2}}{(\ln(x))^{2}} > x$$

$$\left(\frac{x}{(\ln(x))}\right)^{2} > x$$

In 1962, J. Barkley Rosser and Lowell Schoenfeld [7] proved that if x >= 17

$$\pi(x) > \frac{x}{\ln(x)}$$

so

$$(\pi(x))^2 > \left(\frac{x}{\ln(x)}\right)^2 = \left(\frac{x}{(\ln(x))^2}\right)x$$

by the theorem 3, we know that  $\sqrt{x} > \ln(x)$ , this implies that  $x > (\ln(x))^2$ , so

$$\frac{x}{(\ln(x))^2} > 1$$

then

$$(\pi(x))^2 > \left(\frac{x}{\ln(x)}\right)^2 = \left(\frac{x}{(\ln(x))^2}\right)x > x$$

finally

$$(\pi(x))^2 > x$$

Quod erat demonstrandum (Q.E.D).

Lemma 3. (Danilo Chávez 2023-02-15)

Let be  $x \ge 88783$ . If  $e^{\sqrt{x}} > x$  then

$$(\pi(x))^2 > x$$

*Proof.* First we begin with an inequality by theorem 2 (please see the graphics of the lemmas at the end)

$$e^{\sqrt{x}} > x$$

Rearranging we have

$$\sqrt{x} > \ln(x)$$

$$x > (\ln(x))^{2}$$

$$\frac{x}{(\ln(x))^{2}} > 1$$

$$\frac{x^{2}}{(\ln(x))^{2}} > x$$

$$\left(\frac{x}{(\ln(x))}\right)^{2} > x$$

In 2010, Pierre Dusart [6], in page 9, proved that if  $x \ge 88783$ 

$$\pi(x) \ge \frac{x}{\ln(x)} \left( 1 + \frac{1}{\ln(x)} + \frac{2}{(\ln(x))^2} \right)$$

and it follows that

$$\pi(x) > \frac{x}{\ln(x)}$$

so

$$(\pi(x))^2 > \left(\frac{x}{\ln(x)}\right)^2 = \left(\frac{x}{(\ln(x))^2}\right)x$$

by the theorem 3, we know that  $\sqrt{x} > \ln(x)$ , this implies that  $x > (\ln(x))^2$ , so

$$\frac{x}{(\ln(x))^2} > 1$$

then

$$(\pi(x))^2 > \left(\frac{x}{\ln(x)}\right)^2 = \left(\frac{x}{(\ln(x))^2}\right)x > x$$

finally

$$(\pi(x))^2 > x$$

Quod erat demonstrandum (Q.E.D).

Lemma 4. (Danilo Chávez 2023-09-16)

Let be 
$$x > \frac{1}{\pi_0^2}$$
.  
Let be  $0 < \pi_0 < 1$ .

$$\frac{\pi(x)}{x} = k(x)$$

and

$$\lim_{x \to \infty} \frac{\pi(x)}{x} = \pi_0$$
$$0 < \pi_0 < 1$$

then

$$(\pi(x))^2 > x$$

*Proof.* By theorem 2 we know that

$$\frac{\pi(x)}{x} = k(x)$$

and

$$\lim_{x \to \infty} \frac{\pi(x)}{x} = \pi_0$$
$$0 < \pi_0 < 1$$

so

$$\pi(x) = k(x)x$$

Squaring we have

$$(\pi(x))^2 = (k(x))^2 x^2 = ((k(x))^2 x)x$$

We will study the behaviour of  $k(x)^2x$ .

## CASE 1:

If we go to the infinite

$$\lim_{x \to \infty} (k(x))^2 x = \lim_{x \to \infty} \left( \frac{\pi(x)^2}{x^2} \right) x = \lim_{x \to \infty} \frac{(\pi(x))^2}{x} = \left( \lim_{x \to \infty} \frac{\pi(x)}{x} \right) \left( \lim_{x \to \infty} \pi(x) \right) = \pi_0 \cdot \infty = \infty > 1$$

We can see that

$$\lim_{x \to \infty} (k(x))^2 x > 1$$

We know that k(x) is always greater than  $\pi_0$  meaning that

$$(k(x))^2 x > 1$$

## CASE 2:

Taking the limit from the last case

$$\lim_{x \to \infty} \frac{(\pi(x))^2}{x} = \left(\lim_{x \to \infty} \frac{\pi(x)}{x}\right) \left(\lim_{x \to \infty} \pi(x)\right) = \pi_0 \cdot \infty = \infty > 1$$

this result directly implies that

$$(\pi(x))^2 > x$$

for big numbers.

#### CASE 3:

Now with finite numbers, we know that

$$\lim_{x \to \infty} \pi_0^2 = \pi_0^2$$
$$0 < \pi_0 < 1$$

$$0 < \pi_0 < 1$$

and

$$\lim_{x \to \infty} \frac{1}{x} = 0$$

There is some point where

$$\pi_0^2 > \frac{1}{x}$$

This value is true if

$$x > \frac{1}{\pi_0^2}$$

Above this value of x, we can see that

$$(k(x))^2 \ge \pi_0^2 > \frac{1}{x}$$

meaning that

$$(k(x))^2 x \ge \pi_0^2 x > 1$$

so we have

$$(k(x))^2 x > 1$$

if

$$x > \frac{1}{\pi_0^2}$$

Now we can conclude that

$$(\pi(x))^2 = (k(x))^2 x^2 = (k(x)^2 x)x > x$$

CONCLUSION:

Finally

$$(\pi(x))^2 > x$$

if

$$x>\frac{1}{\pi_0^2}$$

Quod erat demonstrandum (Q.E.D).

#### 4. Proof of The Goldbach's Conjecture

The key idea to prove the Goldbach's Conjecture is to use the Set G and its probabilities. We make a function that describes the TRUE PROBABILITY of finding N = prime + prime and is directly proportional to the probability of finding N = prime + prime, if we assume INDEPENDENT EVENTS, that we saw in the preliminary theorem. When we have the definition of the TRUE PROBABILITY, we can set the proportional function to be zero (as an argument of nullification of the TRUE PROBABILITY) but it fails in the main inequation that we found, excluding the zero as a solution of the TRUE PROBABILITY. So, always there is a probability to have N = prime + prime if  $N \ge 88783$  as even numbers.

**Theorem 4.** (Christian Goldbach 1742, Danilo Chávez 2023-02-22)

Let be N > 88784 EVEN NUMBERS.

Let be  $E: \{1, 2, 3, ...N - 1\}$  a set of numbers smaller than N.

Let be  $E \times E$ :  $\{(1,1),(1,2),(1,3),...(N-1,N-2),(N-1,N-1)\}$  the Cartesian product of every number smaller than N which represents the pairs of sums of the numbers.

The cardinality of  $E \times E$  is

$$\#(E \times E) = (N-1)^2$$

which represents the total quantity of sums between the numbers.

Let be  $G: \{(1, N-1), (2, N-2), (3, N-3), ...(N-2, 2), (N-1, 1)\}$  a subset of  $E \times E$  which REPRESENTS the set of PAIRS whose sum is equal to N.

The cardinality of the set G is

$$\#G = N - 1$$

Let be  $E_{Npp}(N-1)$  the event to find N = prime + prime, actually it is a function of N-1, its domain is the set of even numbers  $N \ge 88784$  and its codomain is the set of integers.

Let be  $\frac{E_{Npp}(N-1)}{N-1}$  the TRUE PROBABILITY to find N= prime + prime if we NOT ASSUME INDEPENDENT EVENTS, actually it is a function of N-1, its domain is the set of even numbers  $N \ge 88784$  and its codomain is the set of rational numbers.

 $N \ge 88784$  and its codomain is the set of rational numbers. Let be  $\frac{(\pi(N-1))^2}{(N-1)^2}$  the probability to find N = prime + prime if we assume INDEPENDENT EVENTS, actually it is a function of N-1, its domain is the set of even numbers  $N \ge 88784$  and its codomain is the set of rational numbers.

Let be c(N-1) the proportional function that we will use between  $\frac{E_{Npp}(N-1)}{N-1}$  and  $\frac{(\pi(N-1))^2}{(N-1)^2}$ , its domain is the set of even numbers  $N \geq 88784$  and its codomain is the set of rational numbers.

If 
$$\frac{E_{Npp}(N-1)}{(N-1)} = \frac{c(N-1)(\pi(N-1))^2}{(N-1)^2}$$
 and  $c(N-1) \neq 0$  and  $\frac{(\pi(N-1))^2}{(N-1)^2} \neq 0$  then 
$$\frac{E_{Npp}(N-1)}{(N-1)} \neq 0$$

then

"EVERY EVEN NUMBER GREATER OR EQUAL TO 4 IS THE SUM OF TWO PRIMES".

*Proof.* The case of  $4 \le N < 88783$  is very known to be true by intensive computation by Matti K. Sinisalo [3], or by Jörg Richstein [4], or by Tomás Oliveira e Silva, Sigfried Herzog and Silvio Pardi [5].

We will take the case of  $N \ge 88784$  as even numbers, the limit given by Pierre Dusart [6] in 2010, in page 9.

If we pull apart the number N into two numbers

$$N = number1 + number2$$

being elements of the set G, the TRUE PROBABILITY to find two prime numbers, SIMUL-TANEOUSLY, given its sum equal to N in the set G is

$$P(N = Prime + Prime) = \frac{E_{Npp}(N-1)}{(N-1)}$$

We will show that  $\frac{E_{Npp}(N-1)}{(N-1)} \neq 0$  which means that always there is N = prime + prime.

$$\frac{E_{Npp}(N-1)}{(N-1)}$$

is the TRUE PROBABILITY to have N = prime + prime and is directly proportional to

$$\frac{(\pi(N-1))^2}{(N-1)^2}$$

the TRUE PROBABILITY to have N = prime + prime is

$$\frac{E_{Npp}(N-1)}{(N-1)} \propto \frac{(\pi(N-1))^2}{(N-1)^2}$$

so we have

$$\frac{E_{Npp}(N-1)}{(N-1)} = \frac{c(N-1)(\pi(N-1))^2}{(N-1)^2}$$

This is our MAIN EQUATION

By lemma 1, lemma 2, lemma 3 and lemma 4, above this proof, we know that if N-1>=88783

$$(\pi(N-1))^2 > N-1$$

so

$$(\pi(N-1))^4 > (N-1)^2$$

Returning to our main equation, we have

$$\frac{E_{Npp}(N-1)}{(N-1)} = \frac{c(N-1)(\pi(N-1))^2}{(N-1)^2} > \frac{c(N-1)(\pi(N-1))^2}{(\pi(N-1))^4} = \frac{c(N-1)}{(\pi(N-1))^2}$$

$$\frac{E_{Npp}(N-1)}{(N-1)} = \frac{c(N-1)(\pi(N-1))^2}{(N-1)^2} > \frac{c(N-1)}{(\pi(N-1))^2}$$

This is our MAIN INEQUATION, remember that.

so

$$\frac{E_{Npp}(N-1)}{(N-1)} > \frac{c(N-1)}{(\pi(N-1))^2}$$

If we set c(N-1)=0

$$\frac{E_{Npp}(N-1)}{N-1} > 0$$

but in our main equation

$$\frac{E_{Npp}(N-1)}{N-1} = 0$$

AN ABSURD!! A CONTRADICTION!!

In our main inequation we see that

$$\frac{E_{Npp}(N-1)}{(N-1)} = 0 > 0$$

AN ABSURD!! A CONTRADICTION!!

We note that there is no loss of solutions because we never altered the main equation and the main inequation.

We conclude that

$$c(N-1) \neq 0$$

which means that

$$\frac{E_{Npp}(N-1)}{(N-1)} \neq 0$$

By theorem 1 and corollary 1, at the beginning, we know that

$$\frac{(\pi(N-1))^2}{(N-1)^2} \neq 0$$

So

$$\frac{E_{Npp}(N-1)}{(N-1)} = \frac{c(N-1)(\pi(N-1))^2}{(N-1)^2} \neq 0$$
$$\frac{E_{Npp}(N-1)}{(N-1)} \neq 0$$

Always there is N = prime + prime.

We conclude that EVERY EVEN NUMBER GREATER OR EQUAL TO 4 IS THE SUM OF TWO PRIME NUMBERS.

By lemma 1, lemma 2, lemma 3 and lemma 4, above this proof, we know that, if N-1 >= 88783

$$(\pi(N-1))^2 > N-1$$

rearranging we have

$$\frac{(\pi(N-1))^2}{(N-1)^2} > \frac{1}{(N-1)}$$

So, because

$$\frac{E_{Npp}(N-1)}{(N-1)} \propto \frac{(\pi(N-1))^2}{(N-1)^2}$$

and

$$E_{Npp}(N-1) \neq 0$$

and

$$\frac{(\pi(N-1))^2}{(N-1)^2} > \frac{1}{(N-1)}$$

then

$$\frac{E_{Npp}(N-1)}{(N-1)} > \frac{1}{(N-1)}$$

which shows that the true probability to find N = prime + prime is greater than the minimal probability to find the sum of only one pair of numbers, assuring that ALWAYS THERE IS A SUM OF TWO PRIMES EQUAL TO N.

This shows that

$$E_{Nnn}(N-1) > 1$$

Assuring that the event  $E_{Npp}(N-1)$  is always greater to 1. Always there is N = prime + prime.

We conclude that EVERY EVEN NUMBER GREATER OR EQUAL TO 4 IS THE SUM OF TWO PRIME NUMBERS.

Quod erat demonstrandum (Q.E.D).

Volume 2 | Issue 1 | 125

Now we will present a second theorem without the use of the inequality

$$(\pi(N-1))^2 > N-1$$

Theorem 5. (Christian Goldbach 1742, Danilo Chávez 2023-09-04)

Let be  $N \ge 88784$  EVEN NUMBERS.

Let be  $E: \{1, 2, 3, ...N - 1\}$  a set of numbers smaller than N.

Let be  $E \times E$ :  $\{(1,1),(1,2),(1,3),...(N-1,N-2),(N-1,N-1)\}$  the Cartesian product of every number smaller than N which represents the pairs of sums of the numbers.

The cardinality of  $E \times E$  is

$$\#(E \times E) = (N-1)^2$$

which represents the total quantity of sums between the numbers.

Let be  $G: \{(1, N-1), (2, N-2), (3, N-3), ...(N-2, 2), (N-1, 1)\}$  a subset of  $E \times E$  which REPRESENTS the set of PAIRS whose sum is equal to N.

The cardinality of the set G is

$$\#G = N - 1$$

Let be  $E_{Npp}(N-1)$  the event to find N = prime + prime, actually it is a function of N-1, its domain is the set of even numbers  $N \ge 88784$  and its codomain is the set of integers.

Let be  $\frac{E_{Npp}(N-1)}{N-1}$  the TRUE PROBABILITY to find N= prime + prime if we NOT ASSUME INDEPENDENT EVENTS, actually it is a function of N-1, its domain is the set of even numbers  $N \geq 88784$  and its codomain is the set of rational numbers.

Let be  $\frac{(\pi(N-1))^2}{(N-1)^2}$  the probability to find N = prime + prime if we assume INDEPENDENT EVENTS, actually it is a function of N-1, its domain is the set of even numbers  $N \geq 88784$  and its codomain is the set of rational numbers.

Let be c(N-1) the proportional function that we will use between  $\frac{E_{Npp}(N-1)}{N-1}$  and  $\frac{(\pi(N-1))^2}{(N-1)^2}$ , its domain is the set of even numbers  $N \geq 88784$  and its codomain is the set of rational numbers.

If 
$$\frac{E_{Npp}(N-1)}{(N-1)} = \frac{c(N-1)(\pi(N-1))^2}{(N-1)^2}$$
 and  $c(N-1) \neq 0$  and  $\frac{(\pi(N-1))^2}{(N-1)^2} \neq 0$  then 
$$\frac{E_{Npp}(N-1)}{(N-1)} \neq 0$$

then

"EVERY EVEN NUMBER GREATER OR EQUAL TO 4 IS THE SUM OF TWO PRIMES".

*Proof.* The case of  $4 \le N < 88783$  is very known to be true by intensive computation by Matti K. Sinisalo [3], or by Jörg Richstein [4], or by Tomás Oliveira e Silva, Sigfried Herzog and Silvio Pardi [5].

We will take the case of  $N \ge 88784$  as even numbers, the limit given by Pierre Dusart [6] in 2010, in page 9.

If we pull apart the number N into two numbers

$$N = number1 + number2$$

being elements of the set G, the TRUE PROBABILITY to find two prime numbers, SIMUL-TANEOUSLY, given its sum equal to N in the set G is

$$P(N = Prime + Prime) = \frac{E_{Npp}(N-1)}{(N-1)}$$

We will show that  $\frac{E_{Npp}(N-1)}{(N-1)} \neq 0$  which means that always there is N = prime + prime. As

$$\frac{E_{Npp}(N-1)}{(N-1)}$$

is the TRUE PROBABILITY to have N = prime + prime and is directly proportional to

$$\frac{(\pi(N-1))^2}{(N-1)^2}$$

the TRUE PROBABILITY to have N = prime + prime is

$$\frac{E_{Npp}(N-1)}{(N-1)} \propto \frac{(\pi(N-1))^2}{(N-1)^2}$$

so we have

$$\frac{E_{Npp}(N-1)}{(N-1)} = \frac{c(N-1)(\pi(N-1))^2}{(N-1)^2}$$

This is our MAIN EQUATION

Because  $\frac{E_{Npp}(N-1)}{(N-1)}$  is the TRUE PROBABILITY, there is a function f(N-1) that satisfies

$$f(N-1) + \frac{E_{Npp}(N-1)}{(N-1)} = 1$$

f(N-1) is the probability of  $N \neq prime + prime$  and  $\frac{E_{Npp}(N-1)}{(N-1)}$  is the probability of N = prime + prime, we mean

$$f(N-1) + \frac{c(N-1)(\pi(N-1))^2}{(N-1)^2} = 1$$

There is an implicit second grade equation whose solution is  $\frac{\pi(N-1)}{(N-1)}$ We mean

$$c(N-1)x^2 + f(N-1) - 1 = 0$$

Solving this equation we have

$$x = \pm \sqrt{\frac{1 - f(N - 1)}{c(N - 1)}}$$

We only take the positive solution because we know it beforehand,  $\frac{\pi(N-1)}{(N-1)}$ , so

$$x = \sqrt{\frac{1 - f(N-1)}{c(N-1)}}$$

we mean

$$\frac{\pi(N-1)}{(N-1)} = \sqrt{\frac{1 - f(N-1)}{c(N-1)}}$$

We can see that

$$c(N-1) \neq 0$$

because the division by ZERO is NOT DEFINED, it is not a possible number. Because

$$c(N-1) \neq 0$$

then

$$\frac{E_{Npp}(N-1)}{(N-1)} \neq 0$$

By theorem 1 and corollary 1, at the beginning, we know that

$$\frac{(\pi(N-1))^2}{(N-1)^2} \neq 0$$

Finally

$$\frac{E_{Npp}(N-1)}{(N-1)} = \frac{c(N-1)(\pi(N-1))^2}{(N-1)^2} \neq 0$$
$$\frac{E_{Npp}(N-1)}{(N-1)} \neq 0$$

Always there is N = prime + prime.

We conclude that EVERY EVEN NUMBER GREATER OR EQUAL TO 4 IS THE SUM OF TWO PRIME NUMBERS.


Quod erat demonstrandum (Q.E.D).

# 5. Tables and Graphics of The Theorems

In this section we present the tables and related graphics that shows the behaviour of the Goldbach's Conjecture.


We plotted the even numbers  $4 \le N \le 200$ .  $\pi(N-1)$  is taken from N. J.A. Sloane OEIS A000720 [8].

6 3 5 1 0.2 0.36 8 4 7 2 0.285714285714286 0.326530612244898 0.142 10 4 9 3 0.333333333333 0.19753086197531 0.111	(pi(N - 1)^2) / (N - 1) 333333333333333333333333333333333333
8 4 7 2 0.285714285714286 0.326530612244898 0.142 10 4 9 3 0.33333333333 0.197530864197531 0.111	
	0.2 1.8 857142857143 2.28571428571429
	111111111111 1.7777777777778 09090909090909 2.272727272727
14 6 13 3 0.230769230769231 0.21301775147929 0.0769	230769230769 2.76923076923077
	666666666667 2.4 235294117647 2.88235294117647
20 8 19 4 0.210526315789474 0.177285318559557 0.0526	315789473684 3.36842105263158
	190476190476 3.04761904761905 782608695652 3.52173913043478
26 9 25 5 0.2 0.1296	0.04 3.24
	037037037037 827586206897 3.44827586206897
32 11 31 4 0.129032258064516 0.125910509885536 0.032	258064516129 3.90322580645161
	03030303030303 3.6666666666667 714285714286 3.45714285714286
38 12 37 3 0.0810810810810811 0.10518626734843 0.027	027027027027 3.89189189189189
	410256410256 3.69230769230769 390243902439 4.1219512195122
44 14 43 6 0.13953488372093 0.106003244997296 0.0232	558139534884 4.55813953488372
	22222222222 4.3555555555555 765957446809 4.78723404255319
50 15 49 8 0.163265306122449 0.0937109537692628 0.0204	081632653061 4.59183673469388
	078431372549 4.41176470588235 679245283019 4.83018867924528
56 16 55 5 0.09090909090909 0.0846280991735537 0.0181	818181818182 4.65454545454545454545454545454545454545
58 16 57 7 0.12280701754386 0.0787934749153586 0.0175	438596491228 4.49122807017544 491525423729 4.89830508474576
62 18 61 5 0.0819672131147541 0.0870733673743617 0.0163	934426229508 5.31147540983607
64 18 63 10 0.158730158730159 0.0816326530612245 0.0158	730158730159 5.14285714285714
	846153846154 4.98461538461539 253731343284 5.38805970149254
70 19 69 10 0.144927536231884 0.0758244066372611 0.0144	927536231884 5.23188405797102
	845070422535 5.63380281690141 986301369863 6.04109589041096
76 21 75 10 0.133333333333 0.0784 0.0133	33333333333 5.88
	987012987013 5.72727272727273 582278481013 6.12658227848101
82 22 81 9 0.1111111111111 0.0737692424935223 0.0123	456790123457 5.97530864197531
	481927710843 6.37349397590362 647058823529 6.22352941176471
88 23 87 8 0.0919540229885058 0.0698903421852292 0.0114	942528735632 6.08045977011494
	359550561798 6.47191011235955 989010989011 6.32967032967033
94 24 93 9 0.0967741935483871 0.0665972944849116 0.010	752688172043 6.19354838709677
	263157894737 6.06315789473684 092783505155 6.44329896907217
	010101010101 6.31313131313131
	009900990099 6.69306930693069
	873786407767 7.07766990291262 380952380953 6.94285714285714
108 28 107 16 0.149532710280374 0.0684775962966198 0.00934	579439252336 7.32710280373832
	431192660551 7.71559633027523 900900900901 7.57657657658
114 30 113 20 0.176991150442478 0.0704832015036416 0.00884	955752212389 7.9646017699115
	565217391304 7.82608695652174 700854700855 7.69230769230769
120 30 119 <b>24</b> 0.201680672268908 0.0635548336981852 0.00840	336134453782 7.56302521008403
	446280991736 7.43801652892562 008130081301 7.31707317073171
126 30 125 20 0.16 0.0576	0.008 7.2
	740157480315 7.56692913385827 193798449612 7.44961240310078
132 32 131 18 0.137404580152672 0.0596701823903036 0.00763	358778625954 7.81679389312977
	187969924812 7.69924812030075 740740740741 7.58518518518519
138 33 137 16 0.116788321167883 0.0580212051787522 0.0072	992700729927 7.94890510948905
	424460431655 8.31654676258993 219858156028 8.19858156028369
144 34 143 22 0.153846153846154 0.0565308817057069 0.00699	300699300699 8.08391608391608
	655172413793 7.97241379310345 272108843537 7.86394557823129
150 35 149 <b>24</b> 0.161073825503356 0.055177694698437 0.00671	140939597315 8.22147651006712
	251655629139 8.58278145695364 359477124183 8.47058823529412
156 36 155 <b>22</b> 0.141935483870968 0.0539438085327784 0.00645	161290322581 8.36129032258065
	942675159236 8.71974522292994 930817610063 8.61006289308176
162 37 161 <b>20</b> 0.124223602484472 0.0528143204351684 0.0062	111801242236 8.50310559006211
	496932515337 8.85889570552147 060606060606 8.7515151515151
168 39 167 26 0.155688622754491 0.054537631324178 0.00598	802395209581 9.10778443113773
	715976331361 9 795321637427 8.89473684210526
174 40 173 22 0.127167630057803 0.0534598549901433 0.00578	034682080925 9.2485549132948
176 40 175 14 0.08 0.0522448979591837 0.00571 178 40 177 13 0.0734463276836158 0.0510708927830445 0.00564	428571428571 9.14285714285714 971751412429 9.03954802259887
180 41 179 28 0.156424581005587 0.0524640304609719 0.00558	659217877095 9.39106145251397
182         42         181         12         0.0662983425414365         0.0538445102408351         0.00552           184         42         183         16         0.087431693989071         0.0526740123622682         0.00546	486187845304 9.74585635359116 448087431694 9.63934426229508
	540540540541 9.53513513513514
186 42 185 26 0.140540540540541 0.0515412710007305 0.00540	
186         42         185         26         0.140540540540541         0.0515412710007305         0.00540           188         42         187         10         0.05347593828877         0.0504446795733364         0.0053	475935828877 9.4331550802139 100520100520 0.3333333333333
186         42         185         26         0.140540540540541         0.0515412710007305         0.06540           188         42         187         10         0.63475935828877         0.05044879573364         0.0053           190         42         189         16         0.0846560486660847         0.043827160493827         0.00529           192         43         191         22         0.15183246073298         0.0508391765766         0.00529	100529100529 9.3333333333333 560209424084 9.68062827225131
186	100529100529 9.3333333333333 560209424084 9.68062827225131 134715025907 10.0310880829016
186	100529100529 9.3333333333333 560209424084 9.68062827225131



We can see that  $\frac{E_{Npp}(N-1)}{N-1}$  is about the order of  $\frac{(\pi(N-1))^2}{(N-1)^2}$  and guided by it, both of them are greater than  $\frac{1}{N-1}$ 

$$\frac{E_{Npp}(N-1)}{N-1} = \frac{c(N-1)(\pi(N-1))^2}{(N-1)^2}$$




We can see that  $E_{Npp}(N-1)$  is about the order of  $\frac{(\pi(N-1))^2}{(N-1)}$  and guided by it, both of them are greater than 1

$$E_{Npp}(N-1) = \frac{c(N-1)(\pi(N-1))^2}{(N-1)}$$

## 6. Tables and Graphics of The Lemmas

In this section we present the tables and related graphics that shows the behaviour of  $\pi(N-1)^2 > N-1$ . We plotted the even numbers  $4 \le N \le 200$ .  $\pi(N-1)$  is taken from N. J.A. Sloane OEIS A000720 [8].

X	e^(sqrt(x))	$e^{(sqrt(x) + 1)}$
1	2.7182818285	7.3890560989
2	4.1132503788	11.180973761
3	5.652233674	15.364364086
4	7.3890560989	20.085536923
5	9.3564690166	25.433519706
6	11.58243519	31.484323106
7	14.094030107	38.31154593
8	16.918828679	45.990144556
9	20.085536923	54.598150033
10	23.624342922	64.217622074
11	27.567148453	74.935278703
12	31.947745506	86.842976069
13	36.801966287	100.03811621
14	42.167820669	114.62402067
15	48.085628381	130.71028984
16	54.598150033	148.4131591
17	61.750719398	167.85585844
18	69.591378471	189.16897951
19	78.171016319	212.49085317
20	87.543512459	237.96793912
21	97.765885283	265.75522941
22	108.898446	296.0166669
23	121.00495841	328.92557959
24	134.15280493	364.66513188
25	148.4131591	403.42879349
26	163.86116487	445.42082684
27	180.57612296	490.85679369
28	198.64168466	539.96408178
29	218.14605317	592.98245228
30	239.18219293	650.16460874




We can see that

$$e^{\sqrt{x}+1} > e^{\sqrt{x}} > x$$

V		(N – 1) / (In (N – 1))	pi(N – 1)^2	(N - 1)^2 / (ln (N - 1)^2)	N – 1
4		2.73071767988051	4	7.45681904721201	3
6		3.10667467279806		9.65142752260493	5
8 10		3.59728839658826 4.09607651982077	16 16	12.9404838082285 16.777842856227	7
12		4.58735630566671	25	21.0438378751401	11
14		5.06832618826664	36	25.6879303506695	13
16		5.53904059603283	36	30.6809707244997	15
18		6.00025410570094	49	36.003049332981	17
20		6.45284216600706	64 64	41.6391720193987	19 21
22 24		6.89763351381407 7.33536674478742	81	47.5773480908911 53.8076052805332	23
26		7.76668668199515	81	60.3214220162808	25
28		8.19215303964154		67.1113714249081	27
30		8.61225192682773	100	74.170883251148	29
32		9.02740696281884	121	81.49407647235	31
34		9.43798902758825	121	89.0756368848763	33
36 38		9.84432449219549 10.2467020561277	121 144	96.91072470764	39
40		10.6453783959665	144	104.994903027052 113.32408119331	39
42		11.04058283064	169	121.894469240223	4:
44	14	11.4325211840186	196	130.702540623035	43
46		11.8213789956238	196	139.745001358176	4!
48		12.2073242020968	225	149.018764175097	4
50		12.5905093880589	225	158.520926650799	49
52 54		12.9710736853462 13.3491443838401	225 256	168.24875255068 178.199655780609	5:
54		13.7248383046067	256	188.371186487598	5.
58		14.0982629761529		198.761018944764	5.
60		14.46951764678	289	209.366940930478	59
62	18	14.8386941598041	324	220.186844368206	6:
64		15.2058777134843	324	231.218717037439	63
66		15.5711475235562	324	242.460635200351	69
68 70		15.934577403117 16.296236272064	361 361	253.910757015926 265.567316634935	69
72		16.6561886062344		277.428618886451	7:
74		17.0144948347212	441	289.493034480754	73
76		17.3712116924788	441	301.758995664911	75
78		17.7263925342081	441	314.22499227683	7
80		18.0800876145932	484	326.889568151368	7!
82		18.4323443391935	484	339.751317838597	8:
84		18.7832074896648	529	352.8088835998	83
86 88		19.1327194264512	529 529	366.060952651302	85
90		19.4809202716445 19.8278480743387	529	379.506254630171 393.143559259056	89
92		20.1735389604868	576	406.971674190279	91
94		20.5180272690057	576	420.989443011662	93
96	24	20.8613456756427	576	435.195743398655	99
98		21.2035253059273	625	449.5894853991	9
100		21.5445958383654	625	464.169609838513	99
102 104		21.8845855988887 22.2235216474532	676 729	478.935086835087 493.884914414819	10:
104		22.561429857572	729	509.01811721814	10.
108		22.8983349894778	784	524.333745290345	10
110		23.2342607575304		539.830872948918	109
112	29	23.5692298924146	841	555.50859772149	11:
114		23.903264198616	900	571.366039348837	113
116		24.2363846076064		587.402338847819	11!
118		24.5686112271262	900	603.616657629673	117
120 122		24.8999633869103 25.2304596811669	900	620.008176669474 636.576095722989	119
124		25.5601180080893		653.31963258745	12:
126		25.8889556066505		670.23802240312	125
128	31	26.2169890909075	961	687.330516992764	12
130		26.5442344820188		704.596384236398	12
132		26.8707072381601	1024	722.034907478911	13
134 136		27.1964222825052	1024	739.645384968346	13
136		27.5213940294241 27.8456364090355	1024 1089	757.42712932282 775.379467024205	13: 13:
140		28.1691628902397	1156	793.501737936855	13
142		28.4919865023448		811.793294849797	14
144	34	28.8141198553925	1156	830.253503040924	14
146		29.1355751592761	1156	848.881739861826	14
148		29.4563642417394		867.677394342021	14
150 152		29.7764985653353 30.095989243418		886.639866811417 905.768568539932	14 15
152		30.414847055234		925.062921393275	15
156		30.7330824601756		944.522357503953	15
158		31.0507056112524		964.14631895666	15
160	37	31.3677263678324		983.934257487208	15
162		31.6841543077024		1003.88563419429	16.
164		31.9999987384901	1444	1023.99991926337	16
166		32.3152687084909		1044.27659170197	16
168 170		32.6299730169352 32.9441202237332	1521 1521	1064.71513908592 1085.31505731578	16 16
170		33.2577186587279		1085.31505731578	17:
174		33.5707764304884		1126.99703014584	173
176		33.8833014346688		1148.07811611263	179
				1169.31863523539	177
178		34.1953013619618		1100.01000000000	
178 180	41	34.5067837056682	1681	1190.71812170976	
178	41 42		1681 1764		179 181 183

186	42	35.4381973564464	1764	1255.86583187444	185
188	42	35.7476805963248	1764	1277.89666801685	187
190	42	36.0566809991019	1764	1300.08424467099	189
192	43	36.3652050139048	1849	1322.42813570332	191
194	44	36.6732589364455	1936	1344.92792101958	193
196	44	36.980848914221	1936	1367.58318641644	195
198	45	37.2879809514856	2025	1390.39352343836	197
200	46	37.594660914008	2116	1413.35852923924	199




We can see that

$$N-1 > \pi(N-1) > \frac{N-1}{\ln(N-1)}$$

if

$$N-1 \ge 11$$



We can see that

$$(\pi(N-1))^2 > \frac{(N-1)^2}{(\ln(N-1))^2} > N-1$$
$$N-1 \ge 11$$


# 7. Tables and Graphics of The Function C (N - 1)

In this section we present the tables and related graphics that shows the behaviour of the function c(N-1).

We plotted the even numbers  $4 \le N \le 200$ , here it is the function c(N-1).  $\pi(N-1)$  is taken from N. J.A. Sloane OEIS A000720 [8].

N	c(N - 1)
4	0.75
6	
8	0.875
10	
12	0.88
14	1.08333333333333
16	
18	
20	
22	
24	
26	
28	
30	
32	
34	
36	
38	
40	
42	
44	
46	
48	
50	
52	
54	
56	
58	
60	
62	
64	
66	
68	
70	
72	
74	
76	
78	
80	
82	
84	
86	
88	
90	
92	
94	
96	
98	
100	1.9008

102	2.3905325443787
104	1.41289437585734
106	1.5843621399177
108	2.18367346938776
110	1.55529131985731
112	1.84780023781213
114	2.51111111111111
116	1.533333333333333
118	1.43
120	3.173333333333333
122	0.941111111111111
124	1.36666666666667
126	2.777777777778
128	0.792924037460978
130	1.8792924037461
132	2.302734375
134	1.4287109375
136	1.318359375
138	2.01285583103765
140	1.68339100346021
140	
	1.82958477508651
144	2.72145328719723
146	1.37975778546713
148	1.27162629757785
150	2.91918367346939
152	0.932098765432099
154	1.88888888888888
156	2.63117283950617
158	1.03214024835646
160	1.85829072315559
162	2.35208181154127
164	1.12880886426593
166	1.25692520775623
168	2.85470085470085
170	2
172	1.3491124260355
174	2.37875
176	1.53125
178	1.438125
180	2.98155859607377
182	1.2312925170068
184	1.65986394557823
186	2.72675736961451
188	1.06009070294785
190	1.71428571428571
192	2.27257977285019
194	1.29597107438017
196	1.81301652892562
198	2.52938271604938
200	1.5047258979206
200	2.5541255515255



# We can see the function c(N-1).

# 8. Tables and Graphics of The Inequality


In this section we present the tables and related graphics that shows the behaviour of the main inequality.

We plotted the even numbers  $4 \le N \le 200$ . Here it is the main inequality.  $\pi(N-1)$  is taken from N. J .A. Sloane OEIS A000720 [8].

E_Npp(N - 1) / (N - 1)	(c(N - 1) / (pi(N - 1))^2
0.3333333333333333	0.1875
0.2	0.0617283950617285
0.285714285714286	0.0546875
0.3333333333333333	0.10546875
0.181818181818182	0.0352
0.230769230769231	0.0300925925925925
0.26666666666667	0.0462962962962964
0.235294117647059	0.0283215326947106
0.210526315789474	0.0185546875
0.238095238095238	0.025634765625
0.260869565217391	0.0210333790580704
0.2	0.0190519737844841
0.148148148148148	0.0164609053497942
0.206896551724138	0.0174
0.129032258064516	0.00846936684652686
0.212121212121212	0.0157776108189331
0.228571428571429	0.019124376750222
0.0810810810810811	0.00535300925925926
0.153846153846154	0.011284722222222
0.195121951219512	0.0114841917299814
0.13953488372093	0.00671595168679719
0.15555555555556	0.00819970845481051
0.212765957446809	0.00928395061728396
0.163265306122449	0.0077432098765432
0.117647058823529	0.0060444444444445
0.188679245283019	0.008087158203125
0.0909090909090909	0.0041961669921875
0.12280701754386	0.0060882568359375
0.203389830508475	0.00847690999868298

0.0819672131147541	0.00290542600213382
0.158730158730159	0.00600137174211247
0.184615384615385	0.0074302697759488
0.0597014925373134	0.00205646058578433
0.144927536231884	0.00529461867235518
0.169014084507042	0.005325
0.123287671232877	0.00337822203711417
0.1333333333333333	0.00337622203711417
0.18383838383838	0.0055429579239103
0.10126582278481	0.00269790314869203
0.111111111111111	0.00311198005600711
0.192771084337349	0.00474555193842217
0.105882352941176	0.00273369520549168
0.0919540229885058	0.0024871266183297
0.202247191011236	0.00482855902777778
0.0879120879120879	0.00219425154320988
0.0967741935483871	0.00252278645833333
0.147368421052632	0.0040087287808642
0.0618556701030928	0.00148992
0.121212121212121	0.00304128
0.158415841584158	0.00353629074612234
0.0970873786407767	0.00193812671585369
0.104761904761905	0.00217333626874856
0.149532710280374	0.00278529779258643
0.110091743119266	0.00184933569543081
0.126126126126126	0.00219714653723202
0.176991150442478	0.00219714033723202
0.170991130442478	0.00279012343079012
0.094017094017094	0.00158888888888888
0.201680672268908	0.00352592592592592
0.0578512396694215	0.00104567901234568
0.0813008130081301	0.00151851851851852
0.16	0.00308641975308642
0.047244094488189	0.000825103056671153
0.108527131782946	0.00195555921305526
0.137404580152672	0.00224876403808594
0.0827067669172932	0.00139522552490234
0.0740740740740741	0.00128746032714844
0.116788321167883	0.00184835246192622
0.100719424460432	0.00145622059122856
0.106382978723404	0.00158268579159733
0.153846153846154	0.00235419834532632
0.0758620689655172	0.00119356209815496
0.0680272108843538	0.00110002274876977
0.161073825503356	0.00238300708038318
0.0529801324503311	0.000719212010364274
0.104575163398693	0.00145747599451303
0.141935483870968	0.00203022595640908
0.0573248407643312	0.00203022393040900
0.10062893081761	0.00135740739456216
0.124223602484472	0.00135740739456216
0.0613496932515337	0.00171810212676499
0.0613496932515337	
	0.000870446819775783
0.155688622754491	0.00187685789263698
0.106508875739645	0.00131492439184747
0.0701754385964912	0.000886990418169297
0.127167630057803	0.00148671875
0.08	0.00095703125
0.0734463276836158	0.000898828125
0.156424581005587	0.00177368149677202
0.0662983425414365	0.000698011630956236
0.087431693989071	0.000940965955543214
0.140540540540541	0.00154578082177693
0.053475935828877	0.000600958448383135
0.0846560846560847	0.000971817298347908
0.0846560846560847	0.0009/181/29834/908 0.00122908586957825

0.0673575129533679	0.000669406546683972
0.0923076923076923	
0.131979695431472	
0.0804020100502513	0.000711118099206333




As we can see

$$\frac{E_{Npp}(N-1)}{(N-1)} > \frac{c(N-1)}{(\pi(N-1))^2}$$

E_Npp(N - 1)	(c(N - 1) (N - 1)) / (pi(N - 1))^2
1	0.5625
1	0.308641975308642
2	0.3828125
3	0.94921875
2	0.3872
3	0.391203703703703
4	0.69444444444446
4	0.48146605581008
4	0.3525390625
5	0.538330078125
6	0.483767718335619
5	0.476299344612102
4	0.44444444444443
6	0.5046
4	0.262550372242333
7	0.520661157024794
8	0.669353186257769
3	0.198061342592593
6	0.440104166666667
8	0.470851860929238
6	0.288785922532279
7	0.368986880466473
10	0.436345679012346
8	0.379417283950617
6	0.308266666666667

10	0.428619384765625
5	0.230789184570313
7	0.347030639648438
12	0.500137689922296
5	0.177230986130163
10	0.378086419753086
12	0.482967535436672
4	0.13778285924755
10	0.365328688392507
12	0.303320000392507
9	0.246610208709335
	0.28923133879402
10	
14	0.426807760141093
8	0.21313434874667
9	0.252070384536576
16	0.39388081088904
9	0.232364092466793
8	0.216380015794684
18	0.429741753472222
8	0.199676890432099
9	0.234619140625
14	0.380829234182099
6	0.14452224
12	0.30108672
16	0.357165365358356
10	0.19962705173293
11	0.228200308218599
16	0.298026863806748
12	0.201577590801958
14	0.243883265632754
20	0.315283950617284
12	0.195925925925926
11	0.1859
24	0.419585185185
7	0.126527160493827
10	0.1867777777778
20	0.385802469135803
6	0.104788088197236
14	
18	0.252267138484128 0.294588088989258
11	0.185564994812012
	0.173807144165039
10	
16	0.253224287283892
14	0.202414662180769
15	0.223158696615223
22	0.336650363381664
11	0.173066504232469
10	0.161703344069156
24	0.355068054977093
8	0.108601013565005
16	0.222993827160494
22	0.314685023243408
9	0.118368165808593
16	0.215827775735383
20	0.276614442409163
10	0.127420945204534
11	0.143623725263004
26	0.313435268070376
18	0.22222222222222
12	0.15167536150695
22	0.25720234375
14	0.16748046875
13	0.159092578125
28	0.317488987922192
12	0.126340105203079
16	0.172196769864408
26	0.285969452028733
10	0.112379229847646
	0.112013223041040

16	0.183673469387755
22	0.234755401089446
13	0.129195463510007
18	0.182612718564306
26	0.246068343240359
16	0.14151250174206



 $E_{Npp}(N-1) > \frac{c(N-1)(N-1)}{(\pi(N-1))^2}$ 

#### 9. Acknowledgements

We acknowledge the appreciated advice of the mathematician Sebastian Martin Ruiz, from Spain. We had some correspondence between us by email following the 'tradition' started by EulerGoldbach.

#### References

- Christian Goldbach and Leonhard Euler. "Goldbach's original letter to Euler. Letter XLIII (43)". 1742. http://eulerarchive.maa.org//correspondence/letters/OO0765.pdf
- Christian Goldbach and Leonhard Euler. "Euler reply to Goldbach. Letter XLIV (44)". 1742. http://eulerarchive. maa.org//correspondence/letters/OO0766.pdf
- Sinisalo, M. K. (1993). Checking the Goldbach conjecture up to 4· 10<sup>11</sup>. Mathematics of Computation, 61(204), 931-934. https://www.ams.org/journals/mcom/1993-61-204/ S0025-5718-1993-1185250-6/S0025-57181993-1185250-6.pdf
- Richstein, J. (2001). Verifying the Goldbach conjecture up to 4· 10<sup>14</sup>. Mathematics of computation, 70(236), 1745-1749. https://www.ams.org/journals/mcom/2001-70-236/S0025-5718-00-01290-4/S0025-5718-0001290-4.pdf
- 5. Oliveira e Silva, T., Herzog, S., & Pardi, S. (2014). Em-

- pirical verification of the even Goldbach conjecture and computation of prime gaps up to  $4\,\square\,10^{18}.$  Mathematics of Computation, 83(288), 2033-2060. https://www.ams.org/journals/mcom/2014-83-288/S0025-5718-2013-02787-1/S0025-57182013-02787-1.pdf
- Dusart, P. (2010). Estimates of some functions over primes without RH. arXiv preprint arXiv:1002.0442. arXiv:1002.0442 https://arxiv.org/pdf/1002.0442.pdf
- Rosser, J. B., & Schoenfeld, L. (1962). Approximate formulas for some functions of prime numbers. Illinois Journal of Mathematics, 6(1), 64-94. https://projecteuclid.org/journals/illinoisjournal-of-mathematics/volume-6/issue-1/Approximate-formulas-for-some-functions-of primenumbers/10.1215/ijm/1255631807.full
- 8. N. J. A. Sloane. "OEIS A000720, pi(n), the number of primes ≤ n. Sometimes called PrimePi(n)". https://oeis.org/A000720

**Copyright:** ©2023 Ronald Danilo Chavez Calderon. This is an openaccess article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.