

Research Article

Journal of Robotics and Automation Research

Fluctuations of the Planetary Gravitational field and non-linear Interactions with matter - Triggering Earthquakes

Michael Nitsche

Michael Nitsche Bachstraße 13 72415, Grosselfingen Deutschland

*Corresponding author

Michael Nitsche, Bachstraße 13 72415, Grosselfingen Deutschland.

Submitted: 07 Feb 2022; Accepted: 14 Feb 2022; Published: 02 Mar 2022

Citation: Michael Nitsche. (2022). Fluctuations of the Planetary Gravitational field and non-linear Interactions with matter - Triggering earthquakes. J Robot Auto Res, 3(1), 73-88.

Abstract

Our planet is embedded in the planetary gravitational field. The weak changes caused by the sun, moon and planets have had a relatively stable effect for billions of years. It is not only the causally acting, direct forces of gravity, but also the higher harmonics, the harmonics of the gravitational field, that exert an influence on matter over time. This influence is shown here using the example of the triggering of earthquakes. The results reinforce the assumption that about 6% of the earthquakes studied are triggered by the sun, moon and the major planets. Other investigations (http://www.planetare-korrelation.eu/index_htm_files/GRAV-book-manual.pdf) show that the method can also trigger events in other areas, (e.g. in the individual evolution of humans and in social development) by changing the probability of stability and instability. Thus, this method is suitable to function as an element of an artificial intelligence that makes predictions of the character of a probability.

The Model of Nonlinear Interactions Fluctuations of the Planetary Gravitational field

Galaxies in space, planetary systems, clouds, geological formations, plants and animals, human societies, our nervous system, quantum physical systems form simple and also complex structures on different scales. Possibly, the formation of such structures can be described from a model of more or less strongly coupled, oscillating subsystems.

One such oscillating subsystem is the planetary system. Sun and moon are weakly coupled with thesystem of the oceans and make them oscillate even in ebb and flow. Cause and effect are connected relatively simple and proportional. But are there also non-linear connections in which cause and effect are not directly proportional to each other?

The publication aims to draw attention to this oscillating subsystem (the solar system) and to stimulate further research. The computer program developed for this purpose is freely available for research projects. [11]

A correlation function that indicates stabilizing and destabilizing states with a certain probability is suitable for describing these processes.

Nonlinear Interactions

The Fundamental Newtonian Equation of motion of N mass Points has the form:

$$\ddot{r}_{i} = G \sum_{\substack{j=1\\j \neq i}}^{N} M_{j} \frac{r_{i} - r_{i}}{|r_{i} - r_{i}|^{3}}$$
(1)

ri, rj = position vectors of the planets i, j with the masses Mi and Mj; G = gravitational constant

This equation is the starting point for the derivation of the "cosmic fluctuations", it is but not yet in the form favorable for the present problem of fluctuations. For this purpose it becomes necessary to consider first ordering points of view, which result from the structure and dynamics of the planetary system. The planets of the solar system all move on almost in one plane circular orbits around the sun. They represent natural oscillators whose couplings generate the superposition frequencies of the cosmic fluctuations.

A cosmic cycle begins with the conjunction (seen from the earth) of two planets i, j and ends after the opposition with the next conjunction.

Heliocentrically considered, circular frequencies i,j can be given for the cosmic cycles, which are relatively stable and change only little with time.

$$\omega_{i,j} = \frac{2\pi}{T_{i,j}} \tag{2}$$

Ti, j = time duration from conjunction to conjunction of planets i, j.

Without considering the direction of the resulting planetary forces (only direction-invariant processes are studied), one can apply for the changes of the planetary forces (in first approximation).

*The relation (3) follows from the vectorial addition of the forces Fi and Fj.

$$Fi,j = Fi + Fj Fi,j 2 = Fi 2 + Fj 2 + 2 |Fi||Fj|cos(w i,j)$$
(4)

From a geocentric point of view, cosmic cycles are not quite as stable, so instead of i,j(t), it is easier to substitute the angle i,j at which planets i, j appear from Earth into (3).

$$Fi, j fi, j(t) + ki, j(t) \cos(wi, j)$$

$$(5)$$

The quantities fi,j(t) and ki,j(t) contain the slowly and little regularly changing components resulting from distance changes of the planets. For the further investigations only the faster and more "regular" changing cosine part in (4) is considered for the cosmic fluctuations. For a conjunction (ai,j = 0°) Fi,j is maximum and for the opposition (ai,j = 180°) minimum.

The weak gravitational field changes, especially their cosine part, can be considered as a kind of

excitation field strength on matter. The quantities $f_{i,j}(t)$ and $k_{i,j}(t)$ are set approximately constant, because they change weakly and less regularly with time.

$$Fi, j = fi, j(t) + ki, j(t) \cos(ai, j)$$
(6)

The interactions of these "waves" (5) with matter and their different structures will be nonlinear. It must be noted that these are not the gravitational waves derived from a linearization of Einstein's General Relativity. In analogy to other nonlinear interactions with matter (e.g. nonlinear optics), with

$$\gamma_1 = \frac{k_1}{k_0}; \gamma_2 = \left(\frac{k_2}{k_0}\right)^2; \dots \dots$$
 (7)

a general correlation function Hi,j for the influence of two planets i, j can be established.

$$Hi,j(a) = g1Fi,j + g2Fi,j2 + g3Fi,j3 + ...$$
 (8)

Better suited is the transformation of (8) into a Fourier series.

$$Hi, j(a) = a0 + a1\cos(a) + a2\cos(2a) + a3\cos(3a) + \dots$$
(9)

with a = ai, j

The form (9) of the correlation function shows the emergence of



Figure 1: Angle a2, i is the distance between the moon and planet i. Angle a1,11 gives the angular difference between the sun and the center of the earth IC.

The Correlation Function

The problem of the correlation function is to determine the coefficients ak in (9) and to establish the meaning of H. It is not intended to measure a force or a "deflection" with H. That would certainly cause insurmountable difficulties experimentally, if one wanted to determine the influence of the fluctuations on test bodies with rotating lead balls. Moreover, the evolution, which has extended over millions of years, can hardly be simulated in the experiment.

It is obvious to construct a correlation function H which interacts with stable (harmonic) and unstable (disharmonic) states in areas a) to d). These states can then act as exciters or triggers The determination of the coefficients ak from statistical investigations of labile or chaotic processes, in which small disturbances can have an effect, is very time-consuming. Therefore, it seems reasonable to first obtain an approximation for the coefficients ak from theoretical considerations, which can then be adjusted by optimization procedures, if necessary.

Since these are cosmic cycles from conjunction to conjunction, one can take structural considerations to these oscillations as a starting point. If one takes as a basis the circle division (fig. 2), then the following structure points can be found:



Figure 2: Structures of the circle division. The starting point is the conjunction, followed by the opposition and so on.

1 Point: "Starting point" (conjunction)

2 Points: polar structure; opposites that require balancing. Due to their tension and, if necessary, the impossibility of balancing them, they can nevertheless form a unity over a longer period of time. Score: strongly discordant

2 Painter and table store

3 Points: very stable structure; especially in engineering, it is a prerequisite for stability in

mechanical constructions.

Score: very harmonious

4 Points: unstable, dynamic structure; in engineering, this structure is often the basis for lever gears.

Score: discordant

5 Points: quasi-stable pentagram - structure; borderline between stability and instability.

Complicated patterns and structures can be formed, which do not repeat.

Score: indifferent

6 Points: Honeycomb - structure; near-circular, relatively stable structure in the compound with

good utilization of space.

Score: harmonious

The addition of further points is possible, but the changes in the qualities become smaller as the structure becomes more similar to

the circle. These qualitative statements are quantified step by step and plotted in a diagram (Figure. 3).



Figure 3: Quantification of the district division subdivided according to structural aspects. A symmetrical oscillation and decay process is assumed. The image is the basis for a Fourier transform for the 1st approximation of the coefficients ak.

Since it is a periodic cycle, a Fourier transform can be performed. The obtained coefficients are the first Fibonacci numbers (alternately mirrored, see 11.). The correlation function takes the following form:

$$Hi, j = \sum_{s=1}^{N \cdot 12 - 1} a_k \cos(s \cdot \alpha); mit(k = s \mod 12) \quad (10) \quad (\alpha \text{ computing after [5]})$$

$$a_k = \{0, 1, -2, 3, -5, 0, 3, 0, -5, 3, -2, 1\}$$

The 1st order correlation function is shown in Fig 4, which is a first approximation for studying the influence of cosmic fluctuations on the stable and unstable states of complex systems.



Figure 4: Correlation function 1. st. H i,j according 1.to equation (10) with N=1. It was obtained via a Fourier transform from the structural aspects of Fig 3.

Consideration of higher orders may need to be made dependent on the problem under investigation. In general, it can be said that the higher orders will be more suitable for resonance and triggering.



Figure 5: Correlation function Hi,j order according 7.to equation (10) with N=7. The higher orders of the correlation function are suitable for resonance problems.

It must be said at this point that the hypothesis: "Stable and unstable processes of complex systems are reflected in the structures of the circle division" seems daring at first. Only practical investigations can bring the confirmation that these assumptions are sufficient for a first approximation.

For this purpose, it must be ensured that the correlation function (10) is not only suitable for describing one process, but also provides useful results for different processes and states. These investigations were carried out in [6]. Expected values, at least in the tendency, must occur and no negative correlations must occur, in that z. e.g. the correlation function (10) indicates a higher probability for stability, but in reality there is a higher probability for an unstable state.

Earthquake

A First Study of the 41 Strongest Earthquake

Are earthquakes triggered by the planetary gravitational field?

(Data [6] The strongest 41 earthquakes from to 19002000)

This is particularly interesting because when strong earthquakes occur in densely populated areas of the earth, there is usually also great damage to buildings and, above all, many human lives are often lost. Prior to an earthquake, stresses build up in the earth's crust, which then reach a critical state after a certain time. Generally starting with fore-shocks, these stresses are discharged in an earthquake, and it is not possible to predict the magnitude of the earthquake. The investigations on the influence of planetary fluctuations on the triggering of earthquakes are based on the hypothesis that the reaching of a critical state of the stresses in the earth's crust happens within a certain time window. For this extremely unstable state, large-scale excitation field strengths of certain frequencies of the planetary fluctuations can then lead to the triggering of the earthquake and thus the relaxation of the earth's crust.

Can these expectations be confirmed?

They are the "strongest earthquakes" of the last century and the quakes with the most loss of life, overall events41 that are being studied. To evaluate the influence of planetary fluctuations on "earthquake" events, the following calculations were performed: **1**.

a) Superposition of the correlation function S Hi,j (harmonic function)

b) Superposition of the absolute amounts | S Hi,j |("energy" function)

c) Superposition of the derivative1. according to the correlation function S Di,j (time dynamics)

d) Superposition of the absolute values of the derivative1. according to the correlation function | S Di,j | (time dynamics absolute)

a) to d) Superposition of all earthquake41 events related to sun, moon and selected planets.

2.

Events in 100000the period from to 1900end were correlated.2000 The events are equally distributed over the period. The superposition, normalized to a group strength (here the 41 earthquakes), gives the statistically expected mean values. **3.**

Monte Carlo simulation was used to calculate the density function, since an exact calculation for 41 events leads to unacceptable computation times. As a control, the exact density function was calculated numerically for up to events.6

10 000 groups of 41 events each were randomly selected during the period from 1900 to the end of 2000. **4.**

To test the hypothesis: "The correlation function of the 41 earthquakes is significantly discordant", a one-sided significance test is performed. It is calculated what percentage of the randomly selected event groups have equal or smaller values for the superimposed correlation function S Hi,j . This percentage value represents the probability of error of the hypothesis.

If we first look at the density distribution of S Hi,j (Fig 6) for the Sun, Moon and all planets and compare both with the mean value (expected values), the sum of all 41 earthquakes S Hi,j is definitely still in the range of the expected values. The correlations of sun, moon and all planets are below the expected value and also the "energy" is below the expected value but all in all there is no significant influence of the planetary fluctuations.



Figure 6: 1st order density function Hi,j according to equation (10) with N=1. All planets were correlated. The blue numbers indicate the range, the red numbers indicate the hits in this range, and the green numbers indicate the relative hits in per mil.

This changes immediately, if the influences of sun, moon, Jupiter, Uranus and Neptune, which are to be expected according to the hypothesis, are considered separately. The harmonic function Hi,j is now highly significant far below the expected value (0.03% probability of error for the hypothesis). If Saturn, whose frequencies do not play a major role here, is added, the result is still highly significant 0.85% (99.15% of the 10 000 control groups are more harmonic).

Here is the computer printout for all major planets (red and blue indicate significance):

Statistics 4: Probability of events: correlation matrix H

Order of the correlation: 1; time shift d: 0 h: 0; Accidental selection; TEST: Number of accidental selection >= GROUP-MEMBERS: 41; NUMBER OF THE GROUPS: 100000 correlation Julian-date-start: 2415019.458333 Julian-date-end: CORRELATION-MATRIX H AS INPUT 2451544.458345 2 4 5 6 7 8 9 1 3 10 1 * -1.07* * * -0.720.56 -0.52 -0.56 * 2 * * * * 0.09 0.60 -1.07-0.73-0.723 * * * * * * * * * 4 * * * * * * * 5 * * * * * * * * * * * * 6 * -0.75 -0.720.09 -0.50 -0.96 7 * * 0.56 0.60 * -0.75 * -0.271.08 * * -0.27 8 -0.52-0.73-0.50* -1.059 -0.56 -0.72* * * -0.96 1.08 -1.05* 10 * * x × * * * Matrix H of the probability of error: 1 2 3 4 5 7 8 6 9 10 * 97.47 * 93.26 PR 97.71 15.43 84.00 85.56 * 1 2 97.47 * * * * 43.76 13.44 90.97 90.57 * PR 93.14 * 3 * * PR 0.00 * * * 4 * * * PR 0.00 * * * * * * * 5 PR 0.00 6 93.26 43.76 * * 91.65 82.20 96.36 PR 99.00 * * 91.65 * 7 15.43 13.44 72.51 1.79 * PR 15.19

bigger are: 99.15 %

8

9

10

84.00

85.56

*

90.97

90.57

*

1=SUN; 2=MOON; 3=MERKUR; 4=VENUS; 5=MARS; 6=JUPITER; 7=SATURN; 8=URANUS; 9=NEPTUN; 10=PLUTO; 11=IC; BEGIN: year: 1900 month: 1 day: 1 hour: 0 END: year: 2000 month: 1 day: 1 hour: 0

82.20

96.36

*

*



Figure 7: 1st order density function S Hi,j according to equation (10) with N=1. Sun, Moon, Jupiter, Uranus and Neptune were correlated. The significance is very high 0.03% (99.97 % of the 10 000 control groups are more harmonic).

The expected values of the correlation Uranus - Neptune are caused by the large oscillation period (approx. T 1= 172 years in the fundamental frequency) of this correlation. According to equation (10) the following shorter periods still occur for this correlation: T2 = 86 years, T 34= 57 years, T6 = 43 years, T 8= years29, T = years22, T9 = years19, T10 = 17 years and T11 = 16 years

(all values rounded). The two planets had an opposition in the last century in 1906/1908, a trine in 1935/1937, a square in 1949/1951, a sextile in 1963/1965, and a conjunction in 1992/1994. In the last century the negative parts of the function H8,9 predominate.

81.46

*

*

*

*

81.46

72.51

*

1.79

It was not the aim of this first investigation to derive concrete probabilities for the triggering of earthquakes. First of all, it is important to prove the effectiveness of planetary fluctuations of the gravitational field on highly complex processes on Earth, as represented by earthquake dynamics. This has been confirmed with the above investigations with an error probability of less than 1%. On the other hand, the correlation function derived from structural considerations on stability and instability is to be tested for its ability to describe the probability of stability and instability of complex processes and structure formation processes. It was therefore logical to apply this function also and perhaps primarily to a process which makes an influence of gravitational fluctuations on complex physical systems seem plausible from the outset.

Two investigations are still connected here:

1. Are the higher orders (harmonics) better at indicating triggering of earthquakes?

- 2. Is the period before and after the earthquake more meaningful?
- 3. Which frequencies could be relevant for triggering?

98.49

91.59

0.00

PR

PR

PR

The following table shows the probabilities for orders 1 to 12 of the correlation function for Sun, Moon, Jupiter, Saturn, Uranus, Neptune.

Table 1: Probabilities in % for the correlation function and its 1st derivative. The significant values are drawn in blue. The correlation function shows 6relatively high values up to order. From the order on, the energy 2becomes significant (with the exception of the order3.)

Order/Probability	1	2	3	4	5	6	7	9	12
Correlation	99 .15	77.29	85.26	95.82	94.59	87.11	45.78	34.87	36.59
Energy	45.32	98.06	85.80	98.40	95.03	98.84	96.99	96.99	98.14
Dynamic	90.49	23.32	64.51	43.03	51.67	62.31	88.69	53.53	32.19
Dynamic absolut	44.68	43.78	36.78	83.49	52.92	95.56	81.71	82.81	80.01

Table 2: time shift to days 5 before and after the event for the order 1.

Order 1 time-shift/ Probability	-5d	-3d	-2d	-1d	-6h	0	+6h	+1d	+2d	+3d	+5d
Correlation	74.90	96.95	87.26	97.84	99.18	99.15	99.32	93.35	91.22	95. <mark>66</mark>	63.02
Energy	67.46	87.18	86.37	5 <mark>6.4</mark> 5	46.27	45.32	50.21	59.80	64.61	30.93	23.89
Dynamic	30.35	73.59	31.18	76.54	90.42	90.49	93.60	6 5.70	49.11	94.54	64.58
Dynamic absolut	78.70	66.45	80.57	57. 6 2	53. 9 2	44.68	36.46	55. 88	64.52	71.83	88.74



Figure 8: Graphical representation to table 2 for correlation. The compensation curve indicates the maximum significance for 8 hours before the event. However, this is not certain and would need further verification.

Table 3: Time shift up to 5 days before and after the event for the 7th order. The energy is relatively low for the entire period. A trend cannot be identified with certainty. While the 1st order correlates more strongly with the quality of time (stability-instability), the triggering effect of the higher frequencies of the 7th order is remarkable for the energy. Generally, it is expected that the energy for triggering could be high. In addition, the high frequencies of the sun and moon should be particularly suitable. The correlation function for the 12th order does not indicate this:

Statistics 4: Probability of events: correlation matrix H

Order of the correlation: 12 ; time shift d: 0 h: 0;

GROUP-MEMBERS: 41 ; NUMBER OF THE GROUPS: 10000

Julian-date-start: 2415019.458333 Julian-date-end: 2451544.458345

Accidental selection; TEST: Number of accidental selection >= correlation

Order 7 time-shift/ Probability	-5d	-3d	-2d	-1d	-6h	0	+6h	+1d	+2d	+3d	+5d
Correlation	66.42	77.35	52.19	26.07	67.48	45.78	50.14	33.28	25.50	79 .75	17.83
Energy	97.8 7	94.69	72. 9 7	9 5.27	88.58	96.99	97.97	96.46	98.30	63.50	69.23
Dynamic	44.61	45.91	33.62	46.74	10.58	88.69	64.40	17.84	42.15	40.13	98.96
Dynamic absolut	90.39	87.67	74.76	54.04	81.56	81.71	78.54	92.18	62.45	45.11	21.25

CORRELATION-MATRIX H AS INPUT

	1	2	3	4	5	6	7	8	9	10
1	*	-0.19	*	*	*	-0.02	-0.12	-0.02	0.06	*
2	-0.19	*	*	*	*	0.33	0.19	-0.04	-0.03	*
3	*	*	*	*	*	*	*	*	*	*
4	*	*	*	*	*	*	*	*	*	*
5	*	*	*	*	*	*	*	*	*	*
6	-0.02	0.33	*	*	*	*	0.03	-0.08	-0.11	*
7	-0.12	0.19	*	*	*	0.03	*	0.06	0.04	*
8	-0.02	-0.04	*	*	*	-0.08	0.06	*	0.03	*
9	0.06	-0.03	*	*	*	-0.11	0.04	0.03	*	*
10	*	*	*	*	*	*	*	*	*	*

Matrix H of the probability of error:

	1	2	3	4	5	6	7	8	9	10		
1	*	89.47	*	*	*	57.89	80.66	57.86	31.86	*	PR	80.92
2	89.47	*	*	*	*	2.02	10.35	63.91	59.03	*	PR	22.38
3	*	*	*	*	*	*	*	*	*	*	PR	0.00
4	*	*	*	*	*	*	*	*	*	*	PR	0.00
5	*	*	*	*	*	*	*	*	*	*	PR	0.00
6	57.89	2.02	*	*	*	*	41.61	68.11	78.90	*	PR	30.23
7	80.66	10.35	*	*	*	41.61	*	27.41	41.16	*	PR	26.67
8	57.86	63.91	*	*	*	68.11	27.41	*	34.58	*	PR	47.75
9	31.86	59.03	*	*	*	78,90	41.16	34.58	*	*	PR	47.10
10	*	*	*	*	*	*	*	*	*	*	PR	0.00

bigger are: 36.59 %

1=SUN; 2=MOON; 3=MERKUR; 4=VENUS; 5=MARS; 6=JUPITER; 7=SATURN; 8=URANUS; 9=NEPTUN; 10=PLUTO; 11=IC;

BEGIN: year: 1900 month: 1 day: 1 hour: 0 END: year: 2000 month: 1 day: 1 hour: 0

Statistics 4: Probability of events: energy I

Order of the correlation: 12 ; GROUP-MEMBERS: 41 ; NUMBER OF THE GROUPS: 10000 Accidental selection; TEST: Number of accidental selection >= correlation MATRIX I energy AS INPUT (absolute)

	1	2	3	3	4	5	6	7	8	9	10
1	*	0.3	1 *		*	*	0.21	0.33	0.24	0.29	*
2	0.31	*	*		*	*	0.65	0.32	0.16	0.34	*
3	*	*	*		*	*	*	*	*	*	*
4	*	*	*		*	*	*	*	*	*	*
5	*	*	*		*	*	*	*	*	*	*
6	0.21	0.6	5 *		*	*	*	0.20	0.37	0.27	*
7	0.33	0.3	2 *		*	*	0.20	*	0.20	0.22	*
6	0.00	0.1	c *		*		0.20	0.20	*	0.20	*
õ	0.21	0.10	a *		÷		0.37	0.20	0.20	0.30	*
9	0.29	0.3	-		2		0.27	0.22	0.30	-	
10	· ·	· · · ·	· · · · ·		^	· · · ·	· ·	· ·	· ·	· · ·	· · ·
Matrix	I of the pro	bability o	f error:								
	1	2	3	4	5	6	7	8	9	10	
1	*	61 11	*	*	*	84 07	50.05	79 44	64 15	* PR	91 69
2	61.11	*	*	*	*	5.29	55.89	98.61	50.47	* PR	56.65
3	*	*	*	*	*	*	*	*	*	* PR	0.00
4	*	*	*	*	*	*	*	*	*	* PR	0.00
5	*	*	*	*	*	*	*	*	*	* PR	0.00
6	84.07	5.29	*	*	*	*	90.71	40.01	67.73	* PR	59.01
7	50.05	55.89	*	*	*	90.71	*	91.09	86.20	* PR	97.17
8	79.44	98.61	*	*	*	40.01	91.09	*	66.55	* PR	98.00
9	64.15	50.47	*	*	*	67.73	86.20	66.55	*	* PR	91.07

bigger are: 98.14 %

1=SUN; 2=MOON; 3=MERKUR; 4=VENUS; 5=MARS; 6=JUPITER; 7=SATURN; 8=URANUS; 9=NEPTUN; 10=PLUTO; 11=IC;

BEGIN: year: 1900 month: 1 day: 1 hour: 0 END: year: 2000 month: 1 day: 1 hour: 0

Statistics 4: Probability of events: dynamics

Order of the correlation: 12 ; GROUP-MEMBERS: 41 ; NUMBER OF THE GROUPS: 10000 Accidental selection; TEST: Number of accidental selection >= correlation

MATRIX D dynamics AS INPUT (absolute)

	1	2	3	4	5	6	7	8	9	10
1	*	-14.64	*	*	*	-8.19	-3.41	7.55	25.65	*
2	-14.64	*	*	*	*	-39.52	13.05	7.42	6.41	*
3	*	*	*	*	*	*	*	*	*	*
4	*	*	*	*	*	*	*	*	*	*
5	*	*	*	*	*	*	*	*	*	*
6	-8.19	-39.52	*	*	*	*	6.63	10.75	-5.18	*
7	-3.41	13.05	*	*	*	6.63	*	14.83	5.91	*
8	7.55	7.42	*	*	*	10.75	14.83	*	0.32	*
9	25.65	6.41	*	*	*	-5.18	5.91	0.32	*	*
10	*	*	*	*	*	*	*	*	*	*
	D (1	1 1 11 0								

Matrix D of the probability of error:

	1	2	3	4	5	6	7	8	9	10		
1	*	87.19	*	*	*	75.85	61.24	26.72	2.66	*	PR	39.52
2	87.19	*	*	*	*	99.73	15.21	28.17	29.26	*	PR	82.33
3	*	*	*	*	*	*	*	*	*	*	PR	0.00
4	*	*	*	*	*	*	*	*	*	*	PR	0.00
5	*	*	*	*	*	*	*	*	*	*	PR	0.00
6	75.85	99.73	*	*	*	*	30.92	19.13	65.70	*	PR	89.97
7	61.24	15.21	*	*	*	30.92	*	15.66	35.15	*	PR	12.77
8	26.72	28.17	*	*	*	19.13	15.66	*	50.43	*	PR	9.78
9	2.66	29.26	*	*	*	65.70	35.15	50.43	*	*	PR	13.05
10	*	*	*	*	*	*	*	*	*	*	PR	0.00

bigger are: 32.19 % 1=SUN; 2=MOON; 3=MERKUR; 4=VENUS; 5=MARS; 6=JUPITER; 7=SATURN; 8=URANUS; 9=NEPTUN; 10=PLUTO; 11=IC; BEGIN: year: 1900 month: 1 day: 1 hour: 0 END: year: 2000 month: 1 day: 1 hour: 0

Statistics 4: Probability of events: dynamics abs Order of the correlation: 12 ; GROUP-MEMBERS: 41 ; NUMBER OF THE GROUPS: 10000 Accidental selection TEST: Number of accidental selection >= correlation

MATRIX DA dynamics abs AS INPUT (absolut)

	1	2	3		4	5		6	7	8	9)	10
1	*	38.47	*		*	*		31.56	34.31	31.65	40.	00	*
2	38.47	*	*		*	*		79.24	31.09	30.59	39.	88	*
3	*	*	*		*	*		*	*	*	*		*
4	*	*	*		*	*		*	*	*	*		*
5	*	*	*		*	*		*	*	*	*		*
6	31.56	79.24	*		*	*		*	28.32	36.75	40.	13	*
7	34.31	31.09	*		*	*		28.32	*	35.29	36.	19	*
8	31.65	30.59	*		*	*		36.75	35.29	*	34.	80	*
9	40.00	39.88	*		*	*		40.13	36.19	34.80	*		*
10	*	*	*		*	*		*	*	*	*		*
Matrix I	OA of the pro	obability o	of error:										
	1	2	3		4	5		6	7	8	9		10
1	*	54.98	*	*	*	71	. 64	64.87	77.70	47.62	*	PR	84.09
2	54.98	*	*	*	*	0	.36	79.72	82.15	48.87	*	PR	27.81
3	*	*	*	*	*	*		*	*	*	*	PR	0.00
4	*	*	*	*	*	*		*	*	*	*	PR	0.00
5	*	*	*	*	*	*		*	*	*	*	PR	0.00
6	71.64	0.36	*	*	*	*		86.24	54.86	43.01	*	PR	23.89
7	64.87	79.72	*	*	*	86	.24	*	60.59	54.95	*	PR	91.90
8	77.70	82.15	*	*	*	54	.86	60.59	*	76.56	*	PR	93.07
9	47.62	48.87	*	*	*	43	.01	54.95	76.56	*	*	PR	67.58

bigger are: 80.01 %

10

1=SUN; 2=MOON; 3=MERKUR; 4=VENUS; 5=MARS; 6=JUPITER; 7=SATURN; 8=URANUS; 9=NEPTUN; 10=PLUTO; 11=IC;

BEGIN: year: 1900 month: 1 day: 1 hour: 0 END: year: 2000 month: 1 day: 1 hour: 0

The low energy (98.14% of the 10 000 control groups have a higher energy) at the time of the earthquake seems strange. It is reasonable to assume that before the time of the event the energy is higher.

An Investigation Can Confirm This Assumption for Sun and Moon:

Table 4: Time shift for correlation of sun and moon.

		-	-													
Order 12 time-shift/ Probability So-Mo	-24h	-11h	-10h	-9h	-8h	-7h	-6h	-5h	-3h	0	+3h	+6h	+9h	+12h	+18h	+24h
Correlation	17.18	95.33	97.84	95.08	81.22	61.59	63.91	70.05	27.52	89.45	66.08	59.67	69.49	99.09	35.91	83.90
Energy	57.78	15.71	13.17	18.17	4.51	0.95	3.10	30.73	73.21	60.8 7	67.15	96.44	36.68	11.08	68.76	66.61
Dynamic	85.55	85.62	44.46	11.44	11.90	37.09	62.17	45.59	23.15	86.90	25.11	17.90	98.9 2	8.47	41.71	88.09
Dynamic absolute	69.35	43.28	21.45	1.80	2.80	53.10	19.60	5.58	78.23	54.10	44.15	61.82	29.24	60.94	73.11	74.05

0.00

PR

J Robot Auto Res, 2022

Accordingly, 10 hours before an earthquake, the correlation is very discordant, with simultaneous increases in energy first in the dynamics and then in the correlation function.

Are these random oscillations? Can this be generalized? Does this only apply to these very large earthquakes?

A Study of Earthquakes 588

The investigation of the strongest earthquakes of a century has shown that a correlation with the harmonics of the planetary gravitational field can be proved. This could be proved with an error probability of less than one percent. Nevertheless, it cannot be ruled out that it is an artifact. Therefore further Groups of earthquakes at smaller time periods examined. The addition in magnitude of smaller earthquakes could cause a stronger noise, so that no significant correlations are detectable. The following studies refer to earthquakes in the years up to a 1996total2002, of earthquakes with a magnitude of m = and 6.5greater or that caused severe damage [6].

The following questions were examined:

What order of correlation best describes possible triggering of earthquakes. Are there special frequencies that are suitable for triggering?

The results are shown in the following table:

The Logic Fundamentals of Machine Consciousness: Theory of Tri-state

Table 5: 588 Earthquakes unsorted; (Earthquakes of magnitude 6.5 or greater or ones that caused fatalities, injuries or substantial damage. BRK--Berkeley. PAS--Pasadena.); Time period 1996 to 2003. Significance is marked in red and blue.

Order /Probability 1996-2003 Periode	1	3	4	5	7	9	12	12	1900-2100 Periode
Correlation Harmonie ; all planets just sun and moon all planets with gravity*	31.47 78.63 73.47	79.43 27.33 30.53	85.8 28.87 12.77	65.1 35.33 15.03	62.13 74.90 34.10	58.87 61.33 44.97	60.40 63.80 41.23	62.37	
Energy ; all planets just sun and moon all planets with gravity*	19.10 4.73 21.83	55.93 3.07 18.57	41.9 1.23 12.67	39.43 1.03 11.27	35.90 0.97 8.07	19.50 0.33 2.97	27.41 0.17 1.47	0.20	
Dynamic ; all planets just sun and moon all planets with gravity*	93.27 99.27 92.07	38.7 79.67 40.27	34.23 69.73 24.57	46.37 77.73 83.30	16.6 23.13 75.37	37.0 53.13 57.37	12.52 62.53 97.80	61.99	
Dynamic absolut ; all planets just sun and moon all planets with gravity*	30.7 72.10 59.47	21.13 27.47 63.33	56.7 27.53 64.07	51.0 24.03 61.90	54.97 15.60 62.17	82.47 21.73 69.27	31.40 2.00 38.69	1.97	

6 .7			
* Weighting of the planets, oriented to the	sun	weight:	57.20
	moon	weight:	10.24
	mercury	weight:	0.31
	venus	weight:	0.77
effect of gravity	mars	weight:	0.30
	jupiter	weight:	1.87
	saturn	weight:	0.84
	uranus	weight:	0.28
	neptun	weight:	0.22
	pluto	weight:	0.01
	IC	weight:	57.20

For this list of earthquakes only the energy of sun and moon is significant and highly significant. This is also true for a larger time period (1900 to 2100) of the comparative calculations according to the Monte Carlo simulation.

The 4th order shows for the matrix of correlation (harmony and dysharmony) the largest values for disharmony. With 85% the control groups are more harmonious than the earthquake group. A look at the matrix shows that strongly differentiated behavior of the individual correlations: strongly disharmonious are Sun-Venus, Moon-Mars, Venus-Saturn, Saturn-Uranus, Moon-Neptune, Venus- Pluto, Mars-Pluto, Venus-IC (Imum Coeli, represents the center of the Earth), Saturn-IC. Looking at the row sums of the correlation matrix, Venus and the IC are significantly disharmonic. There does not seem to be an explanation for this based on the effect of gravity.

Statistics 4: Probability of events: correlation matrix H Order of the correlation: 4 ; time shift d: 0 h: 0; GROUP-MEMBERS: 588 ; NUMBER OF THE GROUPS: 3000 Julian-date-start: 2450083.458333 Julian-date-end: 2452640.458345 Accidental selection; TEST: Number of accidental selection >= correlation CORRELATION-MATRIX H AS INPUT

	1	2	3	4	5	6	7	8	9	10	11
1	*	0.04	-0.10	-0.06	0.06	-0.08	0.01	0.07	-0.00	0.00	0.09
2	0.04	*	0.04	0.02	-0.13	-0.02	-0.04	0.02	-0.12	0.08	-0.02
3	-0.10	0.04	*	0.11	-0.05	-0.06	-0.05	0.05	0.10	0.15	-0.08
4	-0.06	0.02	0.11	*	0.06	-0.04	-0.09	0.02	-0.06	-0.08	-0.15
5	0.06	-0.13	-0.05	0.06	*	-0.09	-0.17	0.21	0.12	-0.05	-0.08
6	-0.08	-0.02	-0.06	-0.04	-0.09	*	0.03	0.05	-0.02	0.09	0.04
7	0.01	-0.04	-0.05	-0.09	-0.17	0.03	*	0.10	0.32	-0.15	-0.14
8	0.07	0.02	0.05	0.02	0.21	0.05	0.10	*	-0.00	0.56	0.02
9	-0.00	-0.12	0.10	-0.06	0.12	-0.02	0.32	-0.00	*	-0.18	-0.04
10	0.00	0.08	0.15	-0.08	-0.05	0.09	-0.15	0.56	-0.18	*	-0.08
11	0.09	-0.02	-0.08	-0.15	-0.08	0.04	-0.14	0.02	-0.04	-0.08	*

Matrix H of the probability of error:

	1	2	3	4	5	6	7	8	9	10	11		
1		29.47	67.13	100.00	25.33	93.60	48.90	17.10	50.40	50.23	10.10	PR	39.53
2	29.47	*	32.37	41.20	96.83	57.60	68.43	36.63	95.10	13.40	61.10	PR	70.90
3	67.13	32.37	*	46.40	82.60	62.93	75.17	61.37	33.97	12.40	86.30	PR	64.80
4	100.00	41.20	46.40	*	50.03	88.90	94.67	42.63	62.50	98.40	97.97	PR	99.90
5	25.33	96.83	82.60	50.03	*	25.03	19.87	33.27	7.57	96.63	86.27	PR	60.70
6	93.60	57.60	62.93	88.90	25.03		93.27	17.10	13.70	6.83	29.73	PR	35.00
7	48.90	68.43	75.17	94.67	19.87	93.27	*	95.87	5.13	28.30	97.83	PR	81.03
8	17.10	36.63	61.37	42.63	33.27	17.10	95.87	*	90.63	47.80	44.87	PR	43.47
9	50.40	95.10	33.97	62.50	7.57	13.70	5.13	90.63	*	70.57	71.23	PR	21.47
10	50.23	13.40	12.40	98.40	96.63	6.83	28.30	47.80	70.57	*	84.97	PR	49.67
11	10.10	61.10	86.30	97.97	86.27	29.73	97.83	44.87	71.23	84.97	*	PR	97.50

bigger are: 85.80 %

1=SUN; 2=MOON; 3=MERKUR; 4=VENUS; 5=MARS; 6=JUPITER; 7=SATURN; 8=URANUS; 9=NEPTUN; 10=PLUTO; 11=IC;

BEGIN: year: 1996 month: 1 day: 1 hour: 0 END: year: 2003 month: 1 day: 1 hour: 0

9 out of 55 elements of the matrix are significant at $\leq 5\%$ p ≤ 0.05 Probability of error: 0.0015 2 of 11 elements are significant with p $\leq 2\%$ p=0.025 Probability of error: 0.0296



Figure 9: density function for the 12th order energy of the Sun and Moon for 588 earthquakes.

This result suggests that for this group of earthquakes the energy could be a trigger. 588 earthquakes distributed over 7 years corresponds to an average of 7 earthquakes per month. It is understandable that in such short periods the major planets show only small

changes in their correlation function. The sun and moon are better for that. To illustrate this, December 2000 is examined in more detail here. During this period 8 earthquakes took place.

Number in list	Magnitude	Länge	Breite	Datum	Zeit
495	7.0	54.48	39.34	06.12.2000	17:11:06
401	6.4	152.43	-4.13	06.12.2000	22:11:06
374	6.1	-82.41	6.90	12.12.2000	05:26:46
174	5.9	31.21	38.27	15.12.2000	16:44:48
532	6.5	-179.74	-21.11	18.12.2000	01:19:22
253	6.2	-74.40	-39.48	20.12.2000	11:23:54
105	6.5	154.21	-9.14	20.12.2000	16:49:43
424	6.4	151.73	-5.42	21.12.2000	01:01:28

 Table 6: 8 Earthquakes for the Period 2000-12 From the List Of 588 Earthquakes.

The results are shown in Table 7:

Table 7: Correlation funktion according to the Monte-Carlo-Simulation (10000 control groups, each with 8 random selected events); 8 earthquakes for the period 2000-12 from the list of 588 earthquakes. The high significance's for the high orders are remarkable.

Order Probability in %	1	3	6	9	12
Correlation	1.17	0.15	0.37	0.27	0.34
Energy	1.02	0.03	0.05	0.01	0.03
Dynamic	37.12	82.59	36.09	0.23	0.91
Dynamic absolute	76.63	31.20	2.24	1.86	0.17



Figure 10: 9th-order Energy Curve of the Sun and Moon for 8 Earthquakes During 2000-12. Can these Results be used for Earthquake Forecasting?

Fig 11 shows the correlation function and its first derivative. Assuming an energy level, 5 out of 8 earthquakes could be related to the correlation of the Sun and Moon. The expected value is 1.5 earthquakes out of 8 if there is no influence. Accordingly, about 3 earthquakes would be due to triggering by the Sun and Moon. However, it is only one month out of a period of 84 months (1996-2002).

588 events are above the level. The expected value for this entire period is 83 events. According to this, only 13 events would be due to a triggering of the sun and moon, which is 2.2%. This is too low for forecasting, but it clearly shows that there is also a certain increase in probability from the many other influences that can trigger an earthquake. This probability can be increased somewhat by adding other frequencies (those of Jupiter, Saturn and the IC) and the 1st derivative of the correlation function.

If the investigations are extended to the entire period, then 96 of



Figure 11: Correlation Function and 9th-Order First Derivative of the Sun and Moon For 8 earthquakes during 2000-12. The solid vertical black lines indicate the events.

The same research applied to the first study of 41 earthquakes gives similar results. Of the 41 earthquakes, 8 are above the level for energy, the expected value is 5.9 earthquakes. There could be 2 of the 41 earthquakes triggered by the sun and moon.

These initial investigations are only intended to show that further investigations appear to be useful. As can be seen in Fig. 12, in such a small period of time only high frequencies, as they are given by the sun and the moon, are suitable for a possible triggering of earthquakes. At the time of the full moon no earthquake took place. However about 24 hours later. Further investigations would have to show whether this is significant. Figure 9 shows the correlation function for the 1st order for comparison. It does not seem to be suitable for triggering.



Figure 12: Correlation Function (Harmonic) For 1st Order Sun and Moon For 8 Earthquakes During 2000-12.

Do the 588 earthquakes show similar behavior to the group of 41? Very many smaller earthquakes are certainly not to be compared with few, very large ones. There are also no groups formed according to depth or location!

Order 12 time- shift/ Probability So-Mo	-24h	-11h	-10h	-9h	-8h	-7h	-6h	-5h	-3h	0	+3h	+6h	+9h	+12h	+18h	+24h
Correlation	53.60	94.54	84.98	33.52	4.72	4.42	22.16	48.72	35.86	63.20	53.42	17.44	98.88	90.28	99.78	19.30
Energy	71.26	98.96	96.12	92.14	96.20	89.80	67.06	27.30	61.00	0.30	6.90	10.78	2.34	6.46	26.42	81.86
Dynamic	30.26	43.22	6.66	1.26	15.34	80.86	93.16	70.38	35.80	62.86	23.28	91.20	33.70	6 5. 6 4	83.86	19.14
Dynamic absolute	79.70	65.24	90.64	98.06	85.74	67.26	58.32	77.82	25.20	2.38	0.30	1.50	0.24	0.20	0.36	53.88

Table 8: time shift for 588 earthquakes

In Table 8, we can at least see that at the time of the event, the energy in the correlation function was very high, as was the energy in the dynamics.

A low energy (-11h) is driven to a high energy by a high dynamic (1st derivative), likewise the energy of the dynamic increases until the event. Can this scenario also be stated for the much larger period from 1900 to 2100. The results are shown in Table 9.

Order 12 time-shift/ Probability So-Mo	-6h	-3h	-2h	-1h	0	+1h	+2h	+3h	+6h
Correlation	20.28	34.63	35.40	51.18	64.58	66.40	61.74	54.10	16.32
Energy	67.96	63.24	67.66	29.32	0.22	0.00	0.86	7.16	10.78
Dynamic	93.08	34.72	63.38	74.16	63.88	51.18	39.88	21.78	91.14
Dynamic absolute	58.10	25.08	15.32	1.78	1.96	32.78	0.06	0.30	1.86

Table 9: time displacement for 588 earthquakes during the period 1900 to 2100.

despite the much larger time period, the characteristic remains. that is amazing. if we add the earth's rotation as another high frequency, we get the results in Table 10.

Table 10:	Time offsets for 588 earthquakes in the peri	od 1996 to 2002	. They are the cor	relations of the sun,	moon and ic (e	earth's
rotation).						

Order 10 time-shift/ Probability So-Mo-IC	-6h	-5h	-4h	-3h	-2h	-1h	0	+1h	+2h	+3h	+4h	+5h	+6h
Correlation	66.72	36.08	64.64	41.16	32.96	25. 90	38.98	69.78	61.64	66.18	9.12	7.36	61.38
Energy	92.06	35.04	64.60	56.8 2	81.02	30.72	0.10	1.75	19.46	3.24	4.90	80.32	5.70
Dynamic	85.62	95.04	92.36	32.72	6.36	84.56	74.78	84.66	42.46	1.84	4.22	60.60	79.40
Dynamic absolute	65.26	41.40	63.12	48.20	6.98	1.92	60.54	27.70	2.38	17.02	2.92	66.82	4.46

The expected value for high energy is 203 earthquakes. 222 have a higher energy in the correlation function. According to this, 19 earthquakes could be triggered by the sun, moon, and IC, which is 3.23 percent. That's a 1% increase. The IC, as expected, brings an increase in the probability of triggering because the local energy maxima indicated by the IC with the Sun and Moon occur at different times than those of the Sun and Moon. Certainly the major planets Jupiter and Saturn (lower frequencies) in interaction with the high frequency of the earth's rotation are also of influence.

This is shown in Table 11:

Table 11: Time offsets for 588 earthquakes in the period 1996 to 2002. they are the correlations of Jupiter, Saturn and IC (Earth rotation).

Order 10 time-shift/ Probability Ju-Sa-IC	-бh	-5h	-4h	-3h	-2h	-1h	0	+1h	+2h	+3h	+4h	+5h	+6h
Correlation	55.02	7.54	26.24	71.50	64.88	56.24	61.08	69.78	3.16	88.48	55.96	69 .50	62.68
Energy	20.76	65.46	83.54	72.32	58.30	43.56	0.58	1.75	0.02	10.30	23.62	84.92	28.32
Dynamic	41.70	26.12	98.00	41.92	78.18	25.58	89.82	84.66	95.94	57.84	83.06	47.34	91.90
Dynamic absolute	36.00	75. 98	84.02	72.58	26.74	14.56	14.58	27.70	1.38	19.46	34.08	63.14	14.44

The energy peaks between the IC and the planets Jupiter and Saturn are at different points on the time axis than those from the IC with the Sun and Moon. The expected value is 159 earthquakes. 176 earthquakes show higher energy, which is 2.9% above the expected value.

Summary

According to the calculations it seems possible that about 6% of the 588 earthquakes are triggered by Sun, Moon, IC, Jupiter and Saturn. This figure of 6% can certainly be increased if the energy level is optimized and other elements of the correlation function are added. For further investigation, it can be hypothesized that a trigger or threshold energy exists that is constantly decreasing. Before this threshold energy becomes zero, small external disturbances (e.g., weather events) may be triggering. But this can also be the fluctuations of the planetary gravitational field in the higher frequencies. Earthquakes occur at all times. When the threshold energy drops, they can also be triggered by harmonics of the gravitational field. This seems to be a characteristic of highly complex nonlinear systems that small external energies can trigger large changes.



energy for triggering

Figure 13: Model of triggering earthquakes. Our planetary system is highly complex. The nonlinear dynamics of this system also has

an influence on the triggering of earthquakes. This now seems to be a fact and opens the door for further investigations. (Figure taken from [9])

References

- 1. Witze, A. (2016). Moon's pull can trigger big earthquakes. Nature News.
- EGS AGU EUG Joint Assembly, Abstracts from the meeting held in Nice, France, 6 – 11 April 2003, abstract id.1319; Pub Date: April 2003; Bibcode: 2003EAEJA.....1319N
- 3. Kolvankar, V. G. (2011). Sun, moon and earthquakes. New Concepts in Global Tectonics Newsletter, 60, 50-66.
- Kossobokov, V., & Shebalin, P. (2003). Earthquake prediction. In Nonlinear dynamics of the lithosphere and earthquake prediction (pp. 141-207). Springer, Berlin, Heidelberg.
- 5. Meeus, J. (1992). Astronomische Algorithmen. Barth.
- Michael Nitsche; Microgravity Fluctuations of the planetary gravitational field and nonlinearinteractions with matter. http://www.planetare-korrelation.eu/index_htm_files/ GRAV-bookmanual.Pdf
- 7. 41 der stärksten Erdbeben von 1900 2000
- Wilhelm, H., Zürn, W., & Wenzel, H. G. (1997). Tidal phenomena. Lecture Notes in Earth Sciences, Berlin Springer Verlag, 66.
- 9. Nitsche, M. E. (2001). The non-linear interaction of the planetary gravitational field on earthquakes. Lecture on the International Association for Mathematical Geology, 7-12.
- 10. Nitsche, M. (2022). Fluctuations of the planetary gravitational field and nonlinear interactions with matter–triggering earth-quakes.
- 11. http://neic.usgs.gov/neis/eqlists/significant.html

NAME,C,200)	ORT,C,200	LAENGE	E,BREITE	E,ZEI	DATUM,C,2	ZEIT,C,20	SOMMERZEIT,C,
China	Tangshan	Peking	116.25	39.55	8	28.7.1976	03:42:00	0
Japan	Yokohama	Yokohama	141.15	41.4	10	1.9.1923	11:58:00	0
China	Gansu	Peking	116.25	39.55	8	16.12.1920	20:06:53	0
Peru	Norden	Lima	-77.3	-12.3	-5	31.5.1970	11:23:00	0
Iran	Nordwesten	Teheran	51.26	35.4	3	21.6.1990	00:30:00	0
Tuerkei	Osten	Ankara	32.52	39.56	2	27.12.1939	01:57:00	0
Chile	Chillan	Santiago	-70.4	-33.27	-5	24.1.1939	23:32:00	0
Iran	Nordosten	Teheran	56:55	33:35	3	16.9.1978	19:38:00	0
Armenien	Nordwesten	Jerewan	44.30	40.11	4	7.12.1988	11:41:00	0
Guatemala	Guatemala	Guatemala City	90.77	14.6	-6	4.2.1976	03:02:00	0
Indien	SW	Bombay	72.5	18.58	5	30.9.1993	03:56:00	0
Chile	Valparaiso	Santiago	-70.4	-33.27	-5	16.8.1906	19:55:00	0
Mexico	Mexico	Mexiko City	-99.9	19.24	-6	19.9.1985	07:18:00	0
Japan	Kobe	Tokyo	139.46	35.42	9	17.1.1995	05:46:00	0
Afghanistan	NO	Kabul	70.0	35.0	4	4.2.1998	10:33:00	0
Tuerkei	XY	Ankara	32.52	39.56	2	17.8.1999	03:02:00	0
L1-1	Nordjapan	Nordjapan	148.50	44.30	9	6.11.1958	22:58:00	0
L1-2	Kurilen	Kurilen	161.0	53.0	10	3.2.1923	16:01:00	0
L1-3	Mitteljapan	Mitteljapan	144.50	39.20	9	2.3.1933	17:30:00	0
L1-5	Mongolei	Mongolei	98.0	49.0	6	23.7.1905	2:46:00	0
L1-4	Mongolei	Mongolei	99.0	49.0	6	9.7.1905	9:40:00	0
L1-6	Molukken	Molukken	130.50	-5.20	9	1.2.1938	19:04:00	0
L1-7	Chile	Chile	-70.0	-28.50	-4	11.11.1920	4:32:00	0
L1-8	Kurilen	Kurilen	149.50	44.80	10	13.10.1963	5:17:00	0
L1-9	Nordindien	Nordindien	96.50	28.60	6	15.8.1950	14:09:00	0
L1-10	Aleuten	Aleuten	178.60	51.30	13	4.2.1965	5:01:00	0
L1-11	Kolumbien	Kolumbien	-81.50	1.0	-5	31.1.1906	15:36:00	0
L1-12	Nordkurilen	Nordkurilen	161.0	52.30	12	4.11.1952	16:58:00	0
L1-13	Aleuten	Aleuten	-175.80	51.30	-11	9.3.1957	14:22:00	0
L1-14	Alaska	Alaska	-147.60	61.10	-10	28.3.1964	3:36:00	0
L1-15	Chile	Chile	-74.50	-39.50	-4	22.5.1960	19:11:00	0
L2-1	China	China	77.0	40.0	8	22.8.1902	3:00:00	0
L2-2	Japan	Japan	143.0	42.50	9	4.3.1952	6:03:00	0
L2-3	Ecuador	Ecuador	-76.80	-8.0	-5	16.11.1907	10:10:00	0
L2-4	Marianen	Arianen	143.0	22.0	10	24.11.1914	11:53:00	0
L2-5	Samoa	Samoa	-173.0	-15.50	-10	26.6.1917	5:49:00	0
L2-6	Nicobaren	Nicobaren	92.50	12.50	5	26.6.1941	11:52:00	0
L2-7	S	S	131.0	28.0	10	15.6.1911	12:00:00	0
L2-8	S	S	-158.0	55.50	-10	10.11.1938	20:18:00	0
L2-9	Westchina	westchina	77.50	43.50	8	3.1.1911	23:25:00	0
L2-10	Nordneuseeland	Nordneuseeland	-176.40	-28.10	-12	20.10.1986	6:46:00	0

Copyright: ©2022: Michael Nitsche. This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.