

Research Article

International Journal of Clinical and Medical Education Research

Health Believes and Willingness to Pay (WTP) for Social Health Insurance in Post Conflicts Fragile State South Sudan

Dr. Lado Gwokorok

*Corresponding Author

Dr. Lado Gwokorok (Ph.D), Sudan.

Submitted: 05 Mar 2023; Accepted: 20 Mar 2023; Published: 31 Mar 2023

NOTE: This paper is published under a co-publishing model with the Journal of Economic Research & Reviews.

Citation: Gwokorok, L. (2023). Health Believes and Willingness to Pay (WTP) for Social Health Insurance in Post Conflicts Fragile State South Sudan. *Int J Clin Med Edu Res.* 2(3), 68-74.

Abstract

Funding of healthcare in Post conflict fragile state South Sudan is mainly done by international donors. Economic growth in such states, is likely to plunge between (\$ 1.4 and \$ 2.8) billion. A modified version of (Form (II), questionnaire was adopted. Behavioral outcomes from the given health scenarios for social health insurance would be driven. The Two-way analysis of variance was able to explain 37.03% percent of the mean variations, (P-value = 0.0045). A mean of about \$ 32 USD was established. This finding is superior to the \$ 11.12 annual premium from Northeast Ethiopia. Households are susceptible and vary in health risks behaviour. Sudden illness sparks sense of illness affecting. Households cue to providing medical treatments. Successful treatments inspired households. Our desire to achieve in the community; enhances believes in treatment helping illness.

Keywords: Fragile state, Post Conflict, Health Believed Model, Willingness to Pay.

Introduction

Post conflict fragile states have issues in their health care systems that are demanding constant and continuous support from many developed countries and from the World Bank and International Monetary Fund. Post conflict fragile states have higher rate of infectious and communicable diseases. Such countries were predicted to lose (20%) twenty percent of their national revenue. Their economic growth will shrink between (\$ 1.4 and \$ 2.8) billion [1].

Budget for health care system in post conflict South Sudan is declining from 7% to 4% percent. The Abuja conference in 2001 declared that each country in Africa to increase health budget by 15% per cent. Only six countries managed to meet this target. Despite post conflict fragile state South Sudan had zero debts during those years.

The demand for health care services is on the rise with rise in diseases as the population growths. This will require additional funds to cover the costs of healthcare services. It is pertinent to reflect into the Alma Ata declaration of primary health care with the agenda of sections: -

- (4) The people have the right and duty to participate individually and collectively in the planning and implementation of their health care.
- (5) Government has the responsibility of its health care system and primary health care is the norm for achieving a vibrant social and productivity society.

There is a growing and promising growth in the economic sectors of post conflict fragile state South Sudan. There are South Sudanese in the rural areas that used to pay tax from share of their agricultural output. This payment of tax as a share of goods was very common among the Bari tribe. Social health insurance as a financing mechanism in a chronically underfinanced health system is receiving much attention [2]. The informal sector too is a focal point [3].

South Sudan is one of the Post Conflict countries and is a Fragile State[3]. Fragile State was a state that had capabilities of funding itself through its own capital, as Adam Smith defined capital in "Wealth of Nation", and had the abilities of operating and running its own affairs to some satisfactions of her population.

Healthcare budget for Post Conflict Fragile State South Sudan has been declining from 7 % to 4 % per cent, since 2008. Only six African countries met the Abuja declaration of dedicating 15 % per cent of their budget for healthcare. International healthcare funding has been trickling and accessibility to healthcare services is difficult occasionally [4]. Mortality rates in post conflict fragile state South Sudan is (8) eight times the world average. Under funded healthcare system can increase mortality rates. Besides, there are households who cannot afford to cover their medical costs [5].

Funding healthcare through employer and employee contribution; either public or private mixed can alleviate health of the local

population (Mathauer, Schmidt and Wenyaa 2008). Philippines implemented social health insurance despite economic hurdles. Social health insurance and its variants were found to be effective in several countries [6].

Health Believed Model (HBM)

This research was in contrast to researches that used (WTP) in contingent valuation method over an assumed gaming scenario. Adopting gaming scenario increases the cognitive error term of respondents. There exists a gap between health issues outlaid and the sudden presentation of (WTP). But when health scenario is presented in direct association with health and medical costs, human cognition becomes more focused on the expected behavioral outcome.

Health Believed Model is the application of a measured human behaviour; mostly on health and medicine. The concept of cognitive theory in health is also related to the collective actions needed in insurance [7-8]. Twenty-nine (29) studies had substantially adopted the health believed model (HBM). A number of researchers suggested that our behaviour is both qualitative and quantitative [9]. These behaviours are grounded on the expected value and subjective utility theory [10]. Mckenna stated that the outcome of the different cognitive behaviour when sum over a population will lead to a desired outcome [11-12].

Households are susceptible to health risks and will take any measures to remain healthy [9]. Skilful and educated workers will certainly demand protection from their employers to minimise future health risk and its effects [13]. Public and self-employed differ in their health risks behaviour [14]. Cueing to health protections varies between households and the severity of the ailments [15].

On many occasions, ill health is perceived as a threat in our societies. Inoculating the family with remedies for a healthy body has become part of our norms. Sudden illness sparks sense of illness affecting. Households cue to providing medical treatments [16]. Besides, households are inspired from successful treatments. These cue households into willingness to pay for their health. But, lack of proper income streams and pecuniary, may refrained some households from providing medical treatments. Our desire to raise family through achievement in the community; enhances believes in treatment helping illness [17]. Believes in the outcome of willingness to pay (WTP) from several households can lead to financing of social health insurance.

Theoretical Framework

Life expectancy will rise higher when the independent variables were positively observed by the individuals [18]. Communal life in Post Conflict Fragile State South Sudan will cue into a common life goal. Body resistance always on prescription should indicate risk and vulnerability in someone's health. Those who "cannot tell" their resistance to illness and had had previous health as "unknown" were expected to cue for (SHI). Similarly, health outlook, "I do not know" is a risky health behavior because previous health should

have mediated their cognition.

Sickness situation as "None" is a risky behavior because life, illness and death are events with natural certainties that bear expectations. Sickness respond as "Neutral" is a risky behavior because the expectation from being sick is to cue to action. Responses of "seeking medical attention" are expected to propagate into health benefits of (WTP). While illness affecting is to moderate believes in positive health outcomes. Believes in positive health outcome are expected to rise along the scale of treatment helping illness [19].

Methods

In this research, ethnomethodology and interpretive perspectives were utilized. A modified version of (Form (II), questionnaire was used in gathering the sample. Both closed and a few open-ended questions were used. Besides data on general health, financial barrier and self-efficacy data were solicited. Mixed research methods in health insurance had been adopted in the following studies [20-21]. South Sudanese had the capabilities of raising funds, but there is or are factors that impeded such an initiative. The aim was to measure the health believes of Post Conflict Fragile State South Sudanese and an expected behavior of subscribing to social health insurance.

A study in Malaysia gave respondents three options of health insurance (out of pocket system, compulsory social health insurance and voluntary community-based health insurance). Willingness to pay for health insurance was used as a measure of premium. Shafie and Hassali found that 63.1% per cent of Malaysians preferred voluntary community-based health insurance [22].

Data Collection and Procedures

Participants' age groups were from 19 to above 66 years, at 6 years' intervals. There were 205 female representative and 518 males among the sample. Education levels from "none" to "above master's degree" and income from 500 to above 3,600 South Sudanese pounds (SSPs). Type of pecuniary includes (none, land ownerships, cash deposits, crop stock, animal stock, machinery, permanent buildings). Respondents were asked years worked on range of (3, 7, and 11) years and also hours worked on range of (2) to (12) twelve hours. Besides, participants were asked to supply their family sizes and ethnicity.

A number of enumerators were used in distributing the desired questionnaires. The field work took about three (3) months in early 2018. Several suburbs in Juba were the main sampling area. Respondents in government and non-governmental departments were solicited via key individuals and permission to conduct the survey was grunted.

Statistical Tools

A Two-way analysis of variance ANOVA was used and willingness to pay (WTP) was the dependent variable. Since the predictors had been assumed to have interaction effects, the Two-way ANOVA and regression were applied [23].

Research Findings

A mean of approximately 3,777 South Sudanese pounds (\$ 32 USD) was established out of the 723 households. This mean was

measured at 95% per cent confidence; that had a range of [3,298, 4,256] SSPs. Yet at 98% per cent confidence, the range is between [3,147, 4,407] SSPs ref. (table 1, 2).

Table 1: Mean Willing to Pay for Social Health Insurance

	Adjusted Average WTP						
Variable	Obs.	Mean	Std. Err.	[95% Conf. Interval]		[98% Conf. Interval]	
WTP	723	3,777	243.82	3,298.5	4,255.8	3,208.7	4,345.6

Table 2: Mean (WTP) in SSPs of Factor Variables

Descriptor	Variables	Mean (u) WTP (SSP)		
Gender	Female	3,133.67		
	Male	4,031.81		
Employment	Local	3,425.88		
	National	3,437.42		
	NGO	5,423.33		
	Business	4,431.82		
	Other	6,936.36		
	Unemployed	1,803.17		
	Organized force	3,834.41		
Households	[1 to 5] heads	3,555.11		
	[6 to 10] heads	3,774.46		
	[11 to 15] heads	6,428.82		
	[16 to 20] heads	5,036.11		
Pecuniary	Agri. farm	3,821.13		
	Animal stock	4,577.14		
	Land	4,003.24		
	Machinery	5,630.00		
	None	3,224.26		
	Permanent house	4,119.10		
	Savings 4,699.11			

The female gender had mean (WTP) of about 3,134 SSPs compared to 4,032 SSPs of the male gender counterpart. Family sizes of (1 to 5) heads and (6 to 10) heads had mean (WTP) of about 3,555 and

3,774 pounds. While family sizes of (11 to 15) heads and (16 to 20) heads had mean (WTP) of 6,429 and 5,036 pounds, ref (fig 1.).




Figure 1: Household Willingness to Pay for Social health Insurance

Those who work at local government had average (WTP) of 3,426 compare to 3,437 pounds for those at national government. Working at NGO had average (WTP) of about 5,423. While organized force had average (WTP) of approximately 3,834 pounds. And those who owned business had average (WTP) of 4,432 pounds. Working privately, had average (WTP) of 4,103 pounds. The unemployed had average (WTP) of 1,803 pounds. ref. (table 2). Households that owned an agricultural farm are (WTP) 3,821 SSPs on average in contrast to 4,577 pounds for households that owned animal stocks. While households that had invested in owning land titles are (WTP) approximately 4,003 SSPs. Similarly, households that put their cash into a saving accounts are (WTP) about 4,699 pounds. Those with no pecuniary at all were (WTP) nearly 3,224 SSPs.

The health believed (HBM) model was able to explain 37.03% per cent of the variations in mean (WTP) for (SHI). A significant P-value (0.0045) was achieved. When the model was interacted, the explanatory variables were able to explain 43.02% per cent of the variations. A p-value of (0.0041) was achieved at the (0.05) % per cent levels ref. (table 3, 4). Perceptions of vulnerabilities under current health as "unknown" were significant at p-value of 0.042. Interactions of current health and sickness response on "unknown with seek medical" was also significant at p-value (0.028) under the (0.05) % per cent levels. Besides, measures of treatment helping as "more and most likely" were also significant at p-values (0.047, 0.035) of 0.05% confidence levels, ref (table 4.).

Table 3: Regression model (HBM)

No interactions	R ²	F(220, 501)	Prob. > F	No. of obs.
WTP	0.3703	1.34	0.0045**	722

Table 4: Regression. interactions of HBM sub elements

Source	SS	Df	MS	Number of obs.	722
				F(261, 460)	1.33
Model	1.33E+10	261	51145870	Prob. > F	0.0041
Residual	1.77E+10	460	38430407	R-squared	0.4302
				Adj. R-squared	0.107
Total	3.1E+10	721	43033369	Root MSE	6199.2

Int J Clin Med Edu Res 2023 Volume 2 | Issue 3 | 71

WTP	Coef	Std. Err.	t	P>t	[95% Conf.	Interval]		
Family size								
15	16258.1	2768.6	5.87	0.000	10817.35	21698.76		
Sickness role	Sickness role							
Look for treatment	2646.8	1202.7	2.2	0.028	283.4465	5010.2		
Current health & Body resistance								
Very bad, Can't tell	-31963.7	16312.7	-1.96	0.051	-64020.5	93.00503		
illness affecti	illness affecting							
Most likely	-3728.3	1777.7	-2.1	0.037	-7221.68	-234.839		
Treatment helping								
Likely	3861.1	1538.2	2.51	0.012	838.4016	6883.877		
Most likely	3213.6	1410.9	2.28	0.023	440.9276	5986.271		
Paying medical								
Likely	-4299.7	2035.0	-2.11	0.035	-8298.86	-300.602		
_cons	-3468.2	10492.5	-0.33	0.741	-24087.3	17151.02		

Previous Research

A review study on the dysfunctional (NHIS) national health insurance for government employees was done in Juba, South Sudan. The study used dichotomous contingent valuation methods of 5% to 10% per cent of total income. Similarly, a study among Senegalese used bidding game on (WTP). It concluded that income, wealth and risk preferences were effective in explaining (WTP) for mutual health organization.

Discussion

This research has successfully adopted psychometric analysis using the HBM to pay for social health insurance in Post conflict fragile state South Sudan. Human desire is unbounded. Changes in household's income were accommodated by having two nominal (WTP) amounts. Such an approach was also used by in. The new understanding is that residents from post conflict fragile states South Sudan are on the same face of the coin on food concerned and funding health care. WTP is human desire and when unbounded, it gives more space for behavioral decisions. This research has established that post conflict fragile state South Sudanese from formal and informal sectors were (WTP) an equivalent of about \$ 32 dollars per annum for funding social health insurance. This finding is superior to the \$ 11.12 annual premium from Northeast Ethiopia and \$ 5.6 per annum premium from Nepal of (WTP) for community-based insurance. Health believe model (HBM) has been applied to preventive behaviors of social health insurance. This research has noted the shift in individual behaviour towards preventive health behaviours. As such, this finding is superior to the monthly rate of the dysfunctional (NHIF) national health insurance fund of South Sudan (Basaza, et al. 2017).

The (HBM) health believed model had demonstrated its applicability in health insurance. Current health and paying medical cost had no relationships, but a person previous health status was

found to have an association with paying medical costs while current health and previous health are associated and that means current health can be known from previous health. Therefore, preventive behavior of (WTP) for social health insurance can be explained by health risks (previous health). This is in line with findings that previous health had effect on earnings. Participants' depths of paying medical costs were cognitively due to the benefits from treatment helping sickness. These two were found to be associated in this research. Perceived vulnerabilities, barriers to pay, and self-efficacy were effective in explaining the expected preventive health behavior among post conflict fragile state, South Sudan ref, and (table 4.).

On the other hand, risky behavior is justified from participants who answered "I cannot tell on the measure of vulnerability (body resistance to illness as "unknown" and previous health). Vulnerable health outlook when answered "I do not know" is a risky health behavior because previous health should have mediated the cognitive behavior. Sickness situation as "None" is also a risky behavior because life, illness and death are events with natural certainties that bear expectations and behavioral properties. Furthermore, sickness respond as "Neutral" is a risky behavior because the expectation from being sick is to cue to action of preventive ill health behavior. Treatment helping illness at the lower end of the scale "concern" is a perception to health threats and as the scale moves to the upper and upper most end, it becomes a positive health believe outcomes. The expected preventive behavior of self-efficacy on (WTP) for health insurance is supposed to shift further to the right side of the mean. While perceived threat "illness affecting" should moderate believes in positive "outcomes" from treatment helping illness. As such, the expected cognitive weights should have shifted more to the righthand side of treatment helping illness scale.

Int J Clin Med Edu Res 2023 Volume 2 | Issue 3 | 72

Conclusions

The expected behavior of wanting healthy body and avoiding perils of ill health, upon income productivity and longevity in life, were cognitively achieved through the benefits of (WTP). The concept of cognitive theory in health is indeed related to the collective actions needed in insurance . Social health insurance is an alternative funding vehicle in Post conflict fragile state South Sudan, as concerns for health protection were viewed more important than food concerns. Post conflict fragile states have a larger proportion of semi stable dwellings with viable economic activities. Being group underwriters of their healthcare services, will enforced sensed of responsibilities and progress in human society.

Several views emerge from the likelihood of funding health care insurance in post conflict fragile state South Sudan. One is the adoption of social or statutory health insurance by employers and employees. The adoption of community-based health insurance for the informal sector of the economy is another option. Yet, Sub-Saharan Africa, rudimentary governing is very strong in delivering her social welfare programs via communal settings. Besides, the research has noted that some of the respondents are likely to opt for private health insurance. Another alternative is dedicated tax known as earmarked taxes. Approximately 50 years ago, Philippines a developing country, had implemented social health insurance. The implementation was noted to be very successful as Philippine have benefited from the economic development regardless of economic constraints.

Acknowledgements: I would like to give thanks to the agents that were the main contacts of reaching out the survey questionnaires.

References

- 1. Schieber, G., Fleisher, L., & Gottret, P. (2006). Getting Real. Finance & Development, 47.
- 2. World Health Organization. (2004). Reaching universal coverage via social health insurance: key design features in the transition period (No. EIP/FER/DP. 04.2). World Health Organization.
- 3. Mathauer, I., Schmidt, J. O., & Wenyaa, M. (2008). Extending social health insurance to the informal sector in Kenya. An assessment of factors affecting demand. The International journal of health planning and management, 23(1), 51-68.
- Aimé, E. G. (2008). Fragile states and neoliberalism in Sub-Saharan Africa. Fundación Para Las Relaciones Internacionales
 Y El Diálogo Exterior. http://www.fride.org/publication/426/fragile-states-and-neoliberalism-in-sub-saharan-africa.
- 5. Bräutigam, D. A., & Knack, S. (2004). Foreign aid, institutions, and governance in sub-Saharan Africa. Economic development and cultural change, 52(2), 255-285.
- Erasmus, V., & Nkoroi, I. (2002). Report on Cost Sharing in Selected Counties of the New Sudan Nairobi. Health Secretariat of the New Sudan and International Rescue Committee, Nairobi, Kenya.
- 7. Spaan, E., Mathijssen, J., Tromp, N., McBain, F., Have, A. T., & Baltussen, R. (2012). The impact of health insurance in

- Africa and Asia: a systematic review. Bulletin of the World Health Organization, 90, 685-692.
- 8. Bandura, A. (2000). Exercise of human agency through collective efficacy. Current directions in psychological science, 9(3), 75-78.
- 9. Ogden, Jame. Health Psychology. Fourth edition. Berkshire: Open university press, 2007.
- 10. Peak, H. (1955). Attitude and motivation.
- 11. Moore, Michael J., and W.Kip W. Kip Viscusi. "Promoting safety through workers' compensation: the efficacy and net wage costs of injury insurance, The RAND Journal of Economics." Wiley-Blackwell 20, no. 4 (1989): 499-515.
- 12. Conner, M. L. (1993). What's Your Learning Style?. Retrieved, 4(28), 2013.
- 13. Iversen, T., & Soskice, D. (2001). An asset theory of social policy preferences. American political science review, 95(4), 875-893.
- 14. Atella, V., Rosati, F. C., & Rossi, M. C. (2005). Precautionary saving and health risk: Evidence from Italian households using a time series of cross sections.
- 15. Rosenstock, I. M., Strecher, V. J., & Becker, M. H. (1988). Social learning theory and the health belief model. Health education quarterly, 15(2), 175-183.
- 16. Moorman, C., & Matulich, E. (1993). A model of consumers' preventive health behaviors: The role of health motivation and health ability. Journal of consumer research, 20(2), 208-228.
- 17. Gelb, B. D., & Gilly, M. C. (1979). The effect of promotional techniques on purchase of preventive dental care. Journal of Consumer Research, 6(3), 305-308.
- 18. Cichon, M., Newbrander, W., Yamabana, H., Normand, C., Weber, A., Dror, D., & Preker, A. (1999). Modelling in health care finance: A compendium of quantitative techniques for health care financing. International Labour Organization.
- 19. Fletcher, S. W., Morgan, T. M., O'Malley, M. S., Earp, J. A. L., & Degnan, D. (1989). Is breast self-examination predicted by knowledge, attitudes, beliefs, or sociodemographic characteristics?. American Journal of Preventive Medicine, 5(4), 207-215.
- 20. Ware Jr, J. E. (1976). Scales for measuring general health perceptions. Health services research, 11(4), 396.
- Mladovsky, P., Soors, W., Ndiaye, P., Ndiaye, A., & Criel, B. (2014). Can social capital help explain enrolment (or lack thereof) in community-based health insurance? Results of an exploratory mixed methods study from Senegal. Social science & medicine, 101, 18-27.
- 22. Shafie, A. A., & Hassali, M. A. (2013). Willingness to pay for voluntary community-based health insurance: Findings from an exploratory study in the state of Penang, Malaysia. Social science & medicine, 96, 272-276.
- 23. Sekaran, U., & Bougie, R. (2016). Research methods for business: A skill building approach. john wiley & sons.
- 24. Bandura, Albert. "Social cognitive theory: An agentic perspective. Annual review of psychology ." 52, no. 1 (2001): 1-26.
- 25. Obermann, K., Jowett, M. R., Alcantara, M. O. O., Banzon, E. P., & Bodart, C. (2006). Social health insurance in a

- developing country: the case of the Philippines. Social Science & Medicine, 62(12), 3177-3185.
- 26. Andrén, D., & Palmer, E. (2008). The effect of sickness history on earnings in Sweden. Economic Issues, 13(1), 1-23.
- 27. Basaza, R., Alier, P. K., Kirabira, P., Ogubi, D., & Lako, R. L. L. (2017). Willingness to pay for National Health Insurance Fund among public servants in Juba City, South Sudan: a contingent evaluation. International journal for equity in health, 16(1), 1-10.
- Bock, Jens-Oliver, et al. "A Longitudinal Investigation of Willingness to Pay for Health Insurance in Germany." Health Research and Educational Trust, 2017: 1099-1117.
- Bonan, J., LeMay-Boucher, P., & Tenikue, M. (2014). Households' willingness to pay for health microinsurance and its impact on actual take-up: results from a Field Experiment in Senegal. The Journal of Development Studies, 50(10), 1445-1462.
- 30. Cameron, T.A., and J. Quiggin. "Estimation using contingent valuation data from a dichotomous choice with follow-up questionnaire." Journal Environ Econom Management 27, no. 3 (1994): 218–234.
- 31. Carment, D., & Samy, Y. (2011). Engaging fragile states: Closing the gap between theory and policy. Global Dialogue, 13(1), 1-11.
- Cichon, M., Newbrander, W., Yamabana, H., Normand, C., Weber, A., Dror, D., & Preker, A. (1999). Modelling in health care finance: A compendium of quantitative techniques for health care financing. International Labour Organization.
- 33. Cometto, G., Fritsche, G., & Sondorp, E. (2010). Health sector recovery in early post-conflict environments: experience from southern Sudan. Disasters, 34(4), 885-909.
- 34. Janz, N. K., & Becker, M. H. (1984). The health belief model: A decade later. Health education quarterly, 11(1), 1-47.
- 35. Ko, H., Kim, H., Yoon, C. G., & Kim, C. Y. (2018). Social capital as a key determinant of willingness to join community-based health insurance: a household survey in Nepal. Public Health, 160, 52-61.
- Lockman, S., Hone, N., Kenyon, T. A., Mwasekaga, M., Villauthapillai, M., Creek, T., ... & Tappero, J. W. (2003). Etiology of pulmonary infections in predominantly HIV-

- infected adults with suspected tuberculosis, Botswana. The International Journal of Tuberculosis and Lung Disease, 7(8), 714-723.
- 37. Mathauer, I., Schmidt, J. O., & Wenyaa, M. (2008). Extending social health insurance to the informal sector in Kenya. An assessment of factors affecting demand. The International journal of health planning and management, 23(1), 51-68.
- 38. Mckenna, Stephen P. Predicting health behaviour: Research and practice with social cognition models. Second edition. Edited by Markr Conne and Paul Norman. Buckingham: Open university press, 1996.
- Minyihun, A., Gebregziabher, M. G., & Gelaw, Y. A. (2019).
 Willingness to pay for community-based health insurance and associated factors among rural households of Bugna District, Northeast Ethiopia. BMC research notes, 12, 1-7.
- 40. Moss-Morris, R., Weinman, J., Petrie, K., Horne, R., Cameron, L., & Buick, D. (2002). The revised illness perception questionnaire (IPQ-R). Psychology and health, 17(1), 1-16.
- 41. https://link.springer.com/content/pdf/10.1007/978-3-319-20642-4.pdf.
- 42. Peak, H. (1955). Attitude and motivation.
- 43. Roberts, B., Guy, S., Sondorp, E., & Lee-Jones, L. (2008). A basic package of health services for post-conflict countries: implications for sexual and reproductive health services. Reproductive health matters, 16(31), 57-64.
- 44. Varela, G., Calì, M., Pape, U. J., & Rojas, E. (2016). Market integration and poverty: evidence from South Sudan. World Bank Policy Research Working Paper, (7564).
- 45. Walsh, J. A., & Warren, K. S. (1980). Selective primary health care: an interim strategy for disease control in developing countries. Social Science & Medicine. Part C: Medical Economics, 14(2), 145-163.
- 46. Ware Jr, John E. "Scales for measuring general health perceptions." Health services research (Health Research & Educational Trust) 11, no. 4 (1976): 396.
- 47. Ware, John E., et al. "Conceptualization and measurement of health for adults in the Health Insurance Study." 1980.
- 48. WHO. "International Conference on Primary Health Care." Alma-Ata, USSR, September 1978. 6-12.

Copyright: ©2023 Lado Gwokorok. This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.