

Research Article

International Internal Medicine Journal

Evaluating Germany's Mental Health Services for Refugee and Asylum-Seeking Women: A Critical Analysis of Gender, Equity and Access to Care

Kavyasri Chandanala*

BHMS, MD(Hom.), MPH, Arden university Berlin, Germany

***Corresponding Author**

Kavyasri Chandanala, BHMS, MD(Hom.), MPH, Arden university Berlin, Germany.

Submitted: 2026, Sep 11; **Accepted:** 2026, Oct 05; **Published:** 2026, Oct 12

Citation: Chandanala, K. (2026). Evaluating Germany's Mental Health Services for Refugee and Asylum-Seeking Women: A Critical Analysis of Gender, Equity and Access to Care. *Int Internal Med J*, 4(2), 01-05.

1. Introduction

Mental health is recognized as an increased concern component of sexual and reproductive health (SRH), particularly among populations exposed to conflicts, displacement, and gender-based violence. Refugee and asylum-seeking women represent one of the most vulnerable groups within Germany's healthcare system due to the intersection of forced migration, gender inequality, trauma, and socioeconomic disadvantage. Although Germany hosts one of the largest refugee populations in Europe and provides healthcare through a universal health insurance system, significant disparities remain in access to equitable and gender-responsive mental healthcare for refugee and asylum-seeking women (World Health Organization (WHO), 2022; United Nations High Commissioner for Refugees (UNHCR), 2024) [1,2]. These disparities have important implications for health equity, human rights, and the delivery of comprehensive sexual and reproductive healthcare.

Many refugee and asylum-seeking women have experienced multiple forms of trauma before, during, and after migration, including armed conflict, forced displacement, sexual violence, intimate partner violence, trafficking, and family separation. Such experiences mainly lead to increase in the risk of post-traumatic stress disorder (PTSD), depression, anxiety disorders, and other psychological conditions that adversely affect both mental wellbeing and reproductive health outcomes [3,4]. However, despite a high demand of mental health needs, numerous structural barriers—including restrictive healthcare policies during the asylum process, language barriers, shortages of culturally competent mental health professionals, limited availability of interpreters, and stigma surrounding mental illness—continue to impede timely and equitable access to care [5,6].

This assessment critically evaluates Germany's mental health services for refugee and asylum-seeking women through the

interconnected perspectives of gender, equity, and access to healthcare. Drawing upon contemporary evidence, international policy frameworks, and theoretical perspectives including the Social Determinants of Health, Intersectionality Theory, and Trauma-Informed Care, the assessment critically examines the factors influencing service accessibility and responsiveness. Furthermore, it evaluates the increase in chances to which current mental health services address the complex needs of refugee and asylum-seeking women and proposes evidence-based recommendations to strengthen equitable, gender-sensitive, and trauma-informed mental healthcare within Germany's health system.

2. Background and Context

Germany has become one of Europe's primary destinations for people seeking refuge from war, persecution, and humanitarian crises. Over the past decade, dispute in Syria, Afghanistan, Ukraine, and several African countries leads to substantial rise in the number of refugees and asylum seekers entering Germany. While the country has been recognized for its commitment to humanitarian protection and its well-established healthcare system, ensuring equitable access to healthcare remains a significant challenge for many displaced populations, particularly refugee and asylum-seeking women [2].

The experiences of refugee women differ considerably from those of the general population because displacement often involves multiple layers of adversity. Many women have experienced traumatic events before leaving their home countries, including armed conflict, persecution, sexual violence, forced marriage, or the loss of family members. These challenges frequently continue during migration, where women may face exploitation, trafficking, unsafe living conditions, or further gender-based violence. Even after arriving in Germany, uncertainty surrounding asylum

applications, separation from family, language barriers, financial hardship, and difficulties adapting to a new culture in a society can contribute to ongoing psychological distress [1,7]. Rather than representing isolated experiences, these stressors often accumulate over time, placing refugee women at a considerably higher risk of developing depression, anxiety, and post-traumatic stress disorder (PTSD) than the host population [4].

Mental health is closely connected to sexual and reproductive health, making it an important public health issue rather than simply an individual concern. Poor mental health can influence women's ability to access antenatal care, make informed reproductive choices, engage with healthcare providers, and recover from experiences of sexual and gender-based violence. Emotional distress during pregnancy has also been associated with adverse maternal and neonatal outcomes, highlighting the need for mental healthcare to be integrated into broader sexual and reproductive health services [1]. Consequently, improving mental health support for refugee women is essential not only for psychological wellbeing but also for promoting gender equity and better reproductive health outcomes.

Despite Germany's comprehensive healthcare system, access to mental healthcare is not experienced equally by everyone. During the early stages of the asylum process, healthcare entitlements are governed by the Asylum Seekers' Benefits Act (Asylbewerberleistungsgesetz), which limits access to certain healthcare services and often creates administrative barriers to specialist mental health care [5]. Although healthcare access generally improves once refugee status is granted, practical obstacles remain. Long waiting lists, shortages of interpreters, limited availability of culturally competent professionals, and stigma surrounding mental illness continue to discourage many women from seeking or receiving appropriate care [6]. These barriers are particularly concerning because they affect women who are already living with the long-term consequences of trauma and displacement.

This assessment views these challenges as more than isolated service gaps; they reflect broader issues of gender inequality and health inequity. Although Germany has made considerable progress in strengthening refugee healthcare, significant differences remain between the principle of universal healthcare and the reality experienced by many refugee and asylum-seeking women. Critically examining these inequalities provides an opportunity to evaluate how effectively current services in mental health respond to the multiple needs of this kind of population and to identify practical strategies for creating a more equitable, gender-sensitive, and trauma-informed healthcare system.

3. Description of Project, Policy or Programme

Germany has developed an extensive mental healthcare system that is primarily funded through statutory health insurance and delivered through hospitals, outpatient psychiatric services, psychotherapists, and community-based providers. In principle, this system is designed to offer universal healthcare access;

however, refugees and asylum seekers do not always have the same level of access as the general population because their healthcare entitlements are influenced by immigration legislation and administrative procedures during the asylum process [8].

The main policy shaping healthcare access for asylum seekers is the Asylum Seekers' Benefits Act (Asylbewerberleistungsgesetz – AsylbLG). During the initial period of residence in Germany, asylum seekers are generally entitled to some treatments for acute illnesses, pain, pregnancy-related care, vaccinations, and other essential preventive services. Access to specialist mental healthcare is legally possible, but in many cases it requires approval from local authorities, which can delay assessment and treatment for people experiencing psychological distress [9]. These restrictions are particularly relevant for refugee and asylum-seeking women, many of whom have experienced war-related trauma, sexual violence, forced displacement, and prolonged uncertainty during the asylum process.

Alongside statutory healthcare services, Germany has established specialized psychosocial programmes for refugees. The Bundesweite Arbeitsgemeinschaft der Psychosozialen Zentren für Flüchtlinge und Folteropfer (BAFF) coordinates a nationwide network of psychosocial centers that provide trauma-informed psychotherapy, psychiatric assessment, psychosocial counselling, interpreter-assisted consultations, and referrals to legal and social support services [10]. These centers are especially important for survivors of torture, conflict-related trauma, and gender-based violence because they combine mental healthcare with broader social support.

Despite the existence of these specialized services, access remains limited. BAFF's national psychosocial care report estimated that only a small proportion of refugees in Germany who required specialized psychosocial support were actually able to receive it, highlighting a substantial gap between mental health needs and available service capacity [10]. In response, Germany's current mental health strategy increasingly emphasizes community-based care, early intervention, cultural sensitivity, and the integration of mental health into primary healthcare, in line with recommendations from the World Health Organization [1]. Nevertheless, significant differences remain between policy intentions and the everyday experiences of many refugee and asylum-seeking women seeking mental healthcare.

4. Critical Analysis of the Project

Germany's mental health policy demonstrates a clear commitment to improving healthcare for refugees through statutory health insurance, specialized psychosocial centers, and national mental health strategies. Nevertheless, when evaluated from the perspectives of gender, equity, and access to care, the programme reveals important limitations that reduce its effectiveness for refugee and asylum-seeking women. Although the policy acknowledges the importance of mental health, its implementation does not consistently address the complex social, cultural, and gender-related factors influencing women's healthcare experiences.

Consequently, there remains a considerable gap between policy intentions and actual service accessibility.

A major strength of Germany's approach is its recognition that refugee mental health requires specialized support beyond conventional psychiatric services. The nationwide network of Psychosocial Centers for Refugees and Victims of Torture (PSZs), coordinated by BAfF, provides multidisciplinary services including psychotherapy, psychiatric assessment, social work, legal counselling, and interpreter-supported consultations. This model aligns with the World Health Organization's Comprehensive Mental Health Action Plan, which advocates integrated, community-based and person-centered mental healthcare for vulnerable populations [1]. By combining psychological treatment with legal and social support, these centers acknowledge that mental health recovery is closely linked to broader social determinants such as housing, legal security, employment and social inclusion. However, despite their recognized value, the availability of these services remains insufficient. BAfF (2024) reported that specialized psychosocial centers were able to meet only 3.1% of the estimated national need for psychosocial care among refugees in Germany. This substantial treatment gap suggests that while Germany has established an effective service model, it has not invested sufficiently to ensure equitable access across the country [10].

From a gender perspective, the programme demonstrates both strengths and weaknesses. Refugee and asylum-seeking women frequently experience forms of trauma that differ from those experienced by men, including conflict-related sexual violence, forced marriage, trafficking, female genital mutilation, intimate partner violence and reproductive coercion. These experiences significantly increase the risk of depression, anxiety disorders and post-traumatic stress disorder (PTSD) [11]. Despite this evidence, mental health services are not consistently designed around the specific needs of women. Recent research suggests that refugee women often prefer female healthcare professionals, confidential environments and culturally appropriate communication, particularly when discussing experiences of sexual violence or

reproductive health. However, these preferences are not always accommodated because of workforce shortages, limited interpreter availability and regional differences in service provision [12]. As a result, many women delay seeking help or discontinue treatment, reducing the effectiveness of existing interventions.

The limitations of the programme become more evident when viewed through Intersectionality Theory, originally developed by Crenshaw (1989) [13]. Intersectionality argues that health inequalities are built on the basis of the interaction of multiple social identities rather than a single factor such as gender alone. Refugee and asylum-seeking women experience overlapping disadvantages associated with migration status, ethnicity, language, poverty, legal uncertainty and cultural discrimination. Consequently, equal access to healthcare does not necessarily produce equitable outcomes because different groups require different forms of support. Germany's mental health services have increasingly recognized cultural diversity; however, service delivery often remains based on standardized clinical pathways that do not adequately reflect the complex realities of refugee women's lives. This suggests that although policy has progressed towards greater inclusivity, further adaptation is needed to deliver genuinely person-centered and gender-responsive care.

5. Recommendation and Future Directions

Improving mental health services for refugee and asylum-seeking women in Germany requires a multidimensional approach that addresses clinical needs alongside social, cultural, and structural determinants of health. Evidence indicates that refugee women experience increased risks of depression, anxiety, post-traumatic stress disorder (PTSD), and other psychological difficulties due to exposure to conflict, displacement, gender-based violence, and prolonged uncertainty during asylum processes [1,13]. Therefore, future strategies should focus on accessible, trauma-informed, culturally responsive, and gender-sensitive mental health systems. The following are some recommendations based on specific priority areas:

Priority Area	Recommendation on	Proposed Actions	Expected Outcomes	Evidence Base
1. Early identification on and trauma informed care	Integrate routine mental health screening into refugee health assessments and reception services.	• Introduce culturally appropriate screening for depression, anxiety, and PTSD. • Establish referral pathways between reception centers, primary care, and specialist mental health services. • Train healthcare professional ls in trauma informed care approaches.	Earlier detection of psychological distress, improved access to treatment, and prevention of long-term mental health complications.	Trauma informed approaches are recommend ed for displaced populations because many refugees experience multiple traumatic events before and after migration [1].
2. Culturally and linguistically y appropriate e services	Increase availability of culturally adapted and language accessible mental health support.	• Provide professional l interpreters rather than relying on family members. • Employ cultural mediators and multilingual healthcare workers. • Adapt psycholog ic al intervention ns according to cultural beliefs and experiences	Improved communicate on, trust, treatment engagement, and reduced barriers to accessing care.	Language barriers and cultural differences significantly influence refugee populations' ability to access andbenefit from mental health services [14].

3. Gender responsive mental health programmes	Develop interventions specifically addressing refugee women's gender-related vulnerabilities.	• Provide women only counselling spaces. • Integrate mental health support with services addressing gender based violence, reproductive e health, and maternal health. • Collaborate with women's refugee organizations.	Increased psychological safety, improved empowerment not, and better support for survivors of violence and trauma.	Refugee women face additional risks related to gender based violence, reproductive challenges, and social inequalities, requiring gender sensitive approaches [13].
4. Community y-based mental health support	Strengthen group participation and peer support networks.	• Establish refugee women peer support groups. • Provide mental health status literacy programmes. • Encourage social participation n through education and community activities.	Reduced loneliness, stigma, and social isolation; improved resilience and integration.	Social support and community connected less are recognized protective factors for refugee mental health and successful integration [1].
5. Address structural determine nets of mental health	Reduce social and policy related barriers affecting refugee women's psychological well-being.	• Improve housing conditions. • Reduce delays in asylum procedures. • Increase opportunities for education, employment t, and social participation n.	Reduced stress related to insecurity and uncertainty, improved long-term mental health outcomes.	Prolonged asylum processes, poor living conditions, and uncertainty about legal status contribute to psychological l distress among refugees [1].
6. Digital mental health interventions	Expand digital solutions as complementary y mental health support.	• Develop multilingual online counselling platforms. • Provide accessible mental health information resources. • Combine digital interventions with face-to-face support.	Increased accessibility for women facing mobility, childcare, or transportation n barriers.	Digital mental health interventions can improve access to psychological l support; however, they should complement rather than replace community based services [1].
7. Research, monitoring , and evaluation	Strengthen evidence generation on refugee women's mental health needs.	• Conduct longitudinal studies following refugee women through different stages of migration. • Evaluate effectiveness ss of existing programmes. • Include refugee women in service design and evaluation.	More effective, evidence based, and culturally acceptable interventions.	Participatory approaches involving refugee community s improve relevance and sustainability y of health interventions (UNHCR, 2023) [13].

6. Future Directions

Future mental health policies in Germany should adopt a whole-of society approach that recognizes refugee women's mental health as influenced by healthcare access, social inclusion, legal security, housing, and economic opportunities. While Germany has developed important refugee support mechanisms, greater coordination between healthcare providers, policymakers, refugee organizations, and migrant communities is required to ensure equitable access to mental health services [1].

Future programmes should priorities prevention rather than only treatment by integrating mental health promotion into refugee settlement processes. Involving refugee women as partners in designing, implementing, and evaluating interventions will improve cultural relevance and strengthen empowerment. Furthermore, ongoing evaluation and research are needed to identify effective models of care for diverse refugee populations in Germany [13].

7. Conclusion

The mental health needs of refugee and asylum-seeking women in Germany represent an important public health challenge requiring sustained policy attention and system-level action. Although Germany has developed several initiatives to support refugee populations, significant gaps remain in timely access, culturally appropriate care, trauma-informed services, and gender-sensitive interventions. Refugee women often experience multiple vulnerabilities, including exposure to violence, forced displacement, social isolation, uncertainty during asylum procedures, and barriers related to language and healthcare navigation, which collectively increase their risk of poor mental health outcomes [1,13].

A critical analysis of existing approaches highlights that improving mental health outcomes requires more than expanding clinical services. Effective support must address the broader social determinants of health, including housing conditions,

legal security, social integration, and economic participation. Strengthening collaboration between healthcare providers, refugee organizations, policymakers, and refugee communities is essential to create accessible and sustainable services.

Future directions should focus on early identification of mental health concerns, culturally adapted psychological interventions, community-based support, and meaningful involvement of refugee women in programme development. By adopting a comprehensive, trauma-informed, and gender-responsive approach, Germany can move towards a more equitable mental health system that protects the wellbeing, dignity, and integration of refugee and asylum-seeking women.

References

1. World Health Organization. (2022). *World mental health report: transforming mental health for all. Executive summary*. World Health Organization.
2. United Nations High Commissioner for Refugees (UNHCR) (2024) *Global Trends: Forced Displacement in 2023*. Geneva: UNHCR.
3. Keygnaert, I., Vettenburg, N., Roelens, K., & Temmerman, M. (2014). Sexual health is dead in my body: participatory assessment of sexual health determinants by refugees, asylum seekers and undocumented migrants in Belgium and the Netherlands. *BMC Public Health*, 14(1), 416.
4. Blackmore, R., Gray, K. M., Boyle, J. A., Fazel, M., Ranasinha, S., Fitzgerald, G., ... & Gibson-Helm, M. (2020). Systematic review and meta-analysis: the prevalence of mental illness in child and adolescent refugees and asylum seekers. *Journal of the American Academy of Child & Adolescent Psychiatry*, 59(6), 705-714.
5. Bozorgmehr, K., & Razum, O. (2015). Effect of restricting access to health care on health expenditures among asylum-seekers and refugees: a quasi-experimental study in Germany, 1994–2013. *PloS one*, 10(7), e0131483.
6. Satinsky, E., Fuhr, D. C., Woodward, A., Sondorp, E., & Roberts, B. (2019). Mental health care utilisation and access among refugees and asylum seekers in Europe: A systematic review. *Health policy*, 123(9), 851-863.
7. UN Women (2023). *Gender Equality and the Empowerment of Women and Girls in Humanitarian Action*. New York: UN Women.
8. Federal Ministry of Health (2024). *Healthcare in Germany*. Berlin: Bundesministerium für Gesundheit.
9. Bozorgmehr, K., Schneider, C., Razum, O. et al. (2024). 'Access to healthcare for asylum seekers and refugees in Germany: current challenges and policy implications'. *The Lancet Regional Health – Europe*, 39, 100885.
10. Bundesweite Arbeitsgemeinschaft der Psychosozialen Zentren für Flüchtlinge und Folteropfer (BAfF) (2024). *Flucht & Gewalt: Psychosozialer Versorgungsbericht Deutschland 2024*. Berlin: BAfF.
11. World Health Organization (WHO) (2025). *Refugee and Migrant Mental Health*. Geneva: World Health Organization.
12. Markey, K., Moloney, M., O'Donnell, C. A., Noonan, M., O'Donnell, C., Tuohy, T., ... & Doody, O. (2024, September). Enablers of and barriers to perinatal mental healthcare access and healthcare provision for refugee and asylum-seeking women in the WHO European region: A scoping review. In *Healthcare* (Vol. 12, No. 17, p. 1742). MDPI.
13. UNHCR (2023) *Women and girls in forced displacement: Gender equality and protection*. Geneva: United Nations High Commissioner for Refugees.
14. Bäärnhielm, S., Laban, K., Schouler-Ocak, M., Rousseau, C. and Kirmayer, L.J. (2017) 'Mental health for refugees, immigrants and indigenous populations in Europe', *European Psychiatry*, 41, pp. S1–S2.
15. Silove, D., Ventevogel, P., & Rees, S. (2017). The contemporary refugee crisis: an overview of mental health challenges. *World psychiatry*, 16(2), 130-139.
16. Führer, A., Eichner, F. and Brzoska, P. (2020) 'Health-related inequalities among refugees in Germany: A systematic review', *International Journal of Environmental Research and Public Health*, 17(18), Article 6453.
17. Hajak, V.L., Sardana, S., Verdelli, H. and Grimm, S. (2021) 'A systematic review of factors affecting mental health and access to care among refugee women', *International Journal of Environmental Research and Public Health*, 18(19), Article 10256.
18. Kiselev, N., Pfaltz, M., Haas, F., Schick, M., Kappen, M., Sijbrandij, M., ... & Morina, N. (2020). Structural and socio-cultural barriers to accessing mental healthcare among Syrian refugees and asylum seekers in Switzerland. *European journal of psychotraumatology*, 11(1), 1717825.
19. Giacco, D., Laxhman, N., & Priebe, S. (2018, May). Prevalence of and risk factors for mental disorders in refugees. In *Seminars in cell & developmental biology* (Vol. 77, pp. 144-152). Academic Press.
20. Priebe, S., Giacco, D., & El-Nagib, R. (2016). Public health aspects of mental health among migrants and refugees: a review of the evidence on mental health care for refugees, asylum seekers and irregular migrants in the WHO European Region.
21. World Health Organization (WHO) (2019) *WHO Global Action Plan on Promoting the Health of Refugees and Migrants 2019– 2023*. Geneva: World Health Organization.

Copyright: ©2026 Kavyasri Chandanala. This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.