

New Newtonian Mechanics and New Laws of Motion

Guag San Yu

Harbin, Macro-Dynamics Institute, 150066, P. R. China.

*Corresponding author

Guag San Yu, Harbin, Macro-Dynamics Institute, 150066, P. R. China.

Submitted: 12 March 2021; Accepted: 18 March 2021; Published: 25 March 2021

Citation: Guag San Yu (2021) New Newtonian Mechanics and New Laws of Motion. Adv Mach Lear Art Inte, 2(1): 01-06.

Abstract

Newton's third law has been proved to be wrong, there are experimental evidence of the video, there are rigorous proof of a strong paper. Further obtained based on this, that is, Newton's second law to prove is wrong. Therefore, the Newton law of correcting wrong, there are new second law of motion and new third law of motion, to be produces. So including Newton's first law the New three laws of motion, will become more accurate, more efficient mechanical principles, guiding the new mechanical system is derived and the establishment. No one would doubt that Newton's second law and Newton's third law would be wrong. But a surprising discovery was produced in a simple mechanic's experiment. The earliest experiments showed that two objects interact, acting force and reaction force, Is not the same size. Therefore, Newton's third law seems to be wrong. Using conventional methods, considering objects with different masses, the inertia is also different. It can also provide a reasonable explanation for the unequal force and reaction force. But when It was further discovered that when Newton's second law was also wrong, the introduction of the new second law made the establishment of the new third law also perfect. A series of extremely important new discoveries were successively produced and realized.

Keywords: Force; Inverse derivative; Inverse differential; Static force; Move force

PACS: 45.20.Dd, 45.40.ãf, 45.50.àj, 45.50.Dd

Introduction

This article will be by Irrefutable the theory argumentation, to is proof new Newtonian mechanics, and new second law of motion and new third law of motion. New Newtonian mechanics and the law of motion, will be new guidance to the physics of foundation and the mechanics. The mechanics and physics of foundation, will present a brand-new feature. Several foundation physics and the dynamics the experiment, gave to the proof of the new theory support. Several in advance treatise concerning Newton third laws, is this investigative beginning [1-4].

1. First Laws of Motion

The first laws of motion are a law of inertia [5,6]. It keeps constant, namely: Any object all keep the state in the quiescence or uniform linearity motion, until other the object by an acting force forces it to change this kind of state.

2. New Secondly the Laws of Motion

The secondly law of the classical mechanics is wrong, because according to: "The object acquisition the size of the acceleration and the size of the composition external force is direct proportion, with the object the mass is inverse proportion" [5, 6]. The secondly law the mathematics expression is [5, 6]:

$$F = ma \tag{2.0.1}$$

$$F = m \frac{d^2l}{dt^2} \tag{2.0.2}$$

To see is not difficult, when F is certain, in the formula the m and a is change with the inverse proportion. So if m change a multiple of x or $1/x$, then:

$$F = xm \cdot \frac{d^2l}{xdt^2} = xm \cdot \frac{d^2l/x}{dt^2} \tag{2.0.3}$$

$$F = \frac{m}{x} \cdot \frac{xd^2l}{dt^2} = \frac{m}{x} \cdot \frac{d^2xl}{dt^2}$$

Is all to mean, representative the object displacement the l , is to change with the inverse proportion. This be classicality mechanics the second law so to the wrong. The force be token make the object occurrence motion changes that capability, but changes to this kind of motion in the meter age, must have the nominal measurement unit. Because the character of the derivative, this time its the unit obviously is the time t . But the another element (the displacement) the l that meter age, then is alterable. Displacement the l and time the t , the changes toward object motion, obviously the displacement l is direct correlative with the size of the force F . And it is possibility big also possibility small, then how to make sure to displacement l be big or small, in the different condition to measurement the force F is equitable?

In fact, the measurement and calculation of force impossible be correct at this time. Therefore, the second law of the classical mechanics is wrong.

2.1. The New the Second Laws of Motion the Partial Derivative Formula

New second laws of motion by token, the object by external force action, its acceleration that acquisition, with the size of the external force be closely related. But this time the key is, in measure and computation, the object concerning changes of motion, with the displacement the l is the mark unit. So use the Partial derivative at this time [7,8]. Hypothesis:

$$F = m \cdot f(l, t) = m \cdot \frac{l}{t^2} \quad (2.1.1)$$

Make the force F to the displacement l compute the Partial derivative:

$$\frac{\partial F}{\partial l} = \lim_{\Delta l \rightarrow 0} m \cdot \frac{f(l, t + \Delta l) - f(l, t)}{\Delta l} \quad (2.1.2)$$

This explain, in every time compute, the force F the nominal calculation unit based on displacement l . Every time standard computation or measurement, displacement the l is the computation unit, also be use that same computation numerical value.

So, new second law of motion, the force the partial differential is:

$$d_l F = \frac{\partial F}{\partial l} dl \quad (2.1.3)$$

This situation in fact is:

$$d_l F = \lim_{\Delta l \rightarrow 0} m \cdot (f(l, t + \Delta l) - f(l, t)) = \lim_{\Delta l \rightarrow 0} m \cdot \frac{\Delta l}{\Delta^2 t^2} \quad (2.1.4)$$

If record formula as:

$$F = \lim_{\Delta l \rightarrow 0} m \cdot \frac{\Delta l}{\Delta^2 t^2} \quad (2.1.5)$$

Is more intuition. For the sake of the convenience of the computation, the new computing method produces namely:

$$F = \lim_{\Delta l \rightarrow 0} m \cdot \frac{\Delta l}{\Delta^2 t^2} = m \cdot \frac{ql}{q^2 t^2} \quad (2.1.6)$$

This be called "Inverse derivative" or "Contrary derivative". Is at the variable of the numerator approach zero of the limit of the fraction.

2.2. New Computing Method

Therefore, new computing method produce came out. Namely the inverse function:

$$x = g(y) \quad \text{or} \quad x = f^{-1}(y) \quad (2.2.1)$$

And Inverse derivative (Contrary derivative) [9]:

$$[f^{-1}(y_0)]'^+ = \frac{qy_0}{qx_0} = \lim_{\Delta y_0 \rightarrow 0} \frac{\Delta y_0}{\Delta x_0} = \lim_{\Delta y_0 \rightarrow 0} \frac{\Delta y_0}{f^{-1}(y + \Delta y_0) - f^{-1}(y)} \quad (2.2.2)$$

So the Inverse derivative is records to $[f^{-1}(y_0)]'^+$, and qy_0/qx_0 [9]. Corresponds to the differential of the derivative, the qy_0 and qx_0 too call Inverse differential [9].

The Inverse derivative and derivative has the essential difference, the differential quotient of the derivative is direct ratio the relation with the dependent variable the y , but the Inverse differential quotient of the Inverse derivative is inverse ratio the relation with the dependent variable the x .

The Inverse derivative also has second-order and nth-order ..., the second-order Inverse derivative is will dependent variable the x_0 to the square:

$$[f^{-1}(y_0)]''^+ = x_0^+ = \frac{1}{qx_0} \left(\frac{qy_0}{qx_0} \right) = \frac{qy_0}{q^2 x_0^2} \quad (2.2.3)$$

Because the derivative the differential quotient and the Inverse derivative the Inverse differential quotient, is each with denominator and numerator for independent variable. Therefore, in Inverse derivative calculate velocity and acceleration, with in the derivative also is different.

According to the principle of the derivative, the derivative of the random constant c is equal to zero [8,10,11].

$$(c)' = 0 \quad (2.2.4)$$

Therefore, random the constant calculate in the derivative, all can free in and out derivative but do not affect its value and computation [6,8,11]. For example:

$$(cu)' = cu \quad (2.2.5)$$

This a circumstance in Inverse derivative, also should be the same. Is namely:

$$(cu)'^+ = cu^+ \quad (2.2.6)$$

Therefore, this in the computation between derivative or Inverse derivative, will is simplify greatly. In below concerning new laws of motion the deduce course, while involving the multiple between the variable y or x , the value of its multiple can is see as constant, therefore that can adopt the above method to calculate in simplify.

So the velocity for Inverse derivative the indication is:

$$u = \frac{ql}{qt} \quad (2.2.7)$$

But the acceleration of the Inverse derivative is then the second-order:

$$a = \frac{ql}{q^2 t^2} \quad (2.2.8)$$

The Inverse derivative computation velocity and acceleration, that different simply its numerator is takes to fix the value. Namely the distance that move is takes to fix the value, but undergo the time of then may differ. For its velocity and the acceleration that the actual concept, then basic be same.

In addition, because Inverse derivative the dependent variable x is inverse ratio with the Inverse differential coefficient, but second-order Inverse derivative the dependent variable x is inverse ratio to the square with the Inverse differential coefficient, namely the dependent variable x if change a multiple of β , the second-order Inverse differential coefficient also inverse ratio the change a multiple of β^2 . This circumstance caused namely the creation of

the new second laws of motion. There is essence differ with the classical mechanics second laws of motion.

Like this Inverse derivative and Inverse differential, the principle, to physics and engineering the computation, will be of great benefit necessarily.

2.3. Definition to New Secondly Laws of Motion

So now can to new secondly laws of motion, make a summarize. The new secondly laws of motion the expression is:

$$F = \lim_{\Delta l \rightarrow 0} m \cdot \frac{\Delta l}{\Delta^2 t^2} = m \cdot \frac{ql}{q^2 t^2} = ma^+ \quad (2.3.1)$$

That it is also the object a product that the mass and acceleration. But because among them of the acceleration is an Inverse derivative (the show is a^+), so the force F though with that the mass m is direct proportion, but the force F with the acceleration a^+ but it is relation of the direct proportion square. Both the relation is not simple that proportion same. Therefore, when the equivalence the conversion, acceleration a^+ must each change a multiple of β^2 , just are equal with force F or the mass m change a multiple of β is quite.

So the identity transformation of new the second laws of motion is:

$$F = \beta m \cdot \beta^{-2} a^+ \quad (2.3.2)$$

Namely in that the mass and acceleration, each to change β times and β^2 times of the reciprocal, the strength of the force is not change.

This explain inside the second laws of motion of the classical mechanics, force F and mass m and acceleration a the idea of the direct proportion is wrong. This point can pass the accurate sensor measuring to confirm. (Attention: When β is equal to 1 that this identity be formula of Newton second law.

For example, on a rotation rotor one object, its inertial centrifugal force (is may meterage) should is:

$$F = ma = m \cdot \frac{u^2}{R} \quad (2.3.3)$$

When the object rotation the linear velocity u change β times:

$$\beta F = m \cdot \frac{(\beta u)^2}{R} = m \cdot \frac{\beta^2 u^2}{R} = m \beta^2 a \quad (2.3.4)$$

Its the acceleration centripetal change a multiple of β^2 , but its force F change a multiple of β . This point perforce is may to pass the pressure sensor be meterage of precision. Measuring result force F actually is to change a multiple of β or a multiple of β^2 , then the decision is new the secondly law exactness, or classical mechanics the secondly law exactness.

Therefore, new second law of motion to confirm, force is object the mass and acceleration to the product. But in it the mass m and the force F is direct proportion, then the acceleration a with the force F is the direct proportion square. Because this reason, the force of the same pressure strength, when the object the mass m differs, its acceleration a also differs. So its the mass m with the acceleration a the product the value also differs. The force of namely a calibration pressure strength, it there will be having many differs, be the mass m with the acceleration a the product the value

the combination. But because in force F , the mass m together with acceleration a proportions be differing, so when calculation, the both changes the multiple, is cannot simplexes and directly to the conversion. In equation both the value, general also should alone show, but cannot to be confused.

In addition, the Inverse derivative of the new the second laws of motion of calculates, calculating with the derivative of the second laws of motion of the classical mechanics, also having got difference evidently on the concept. For example, the derivative of the second laws of motion of the classical mechanics be to try get instantaneous acting force, but the Inverse derivative of new second laws of motion then be to try get force as long as minimum displacement that intensity. Both of the rational concept is entirely different [5, 6].

2.4. The Character of the Unit Acting Force

According to the new secondly laws of motion, make sure the force of the strength, act the same distance, versus differ the mass the object, produce the equivalence impulse, namely the coequality the size the momentum. For example:

$$J = F \cdot t_j = \left(\beta m \cdot \frac{ql}{\beta^2 q^2 t^2} \right) \cdot \beta qt = \beta m \cdot \frac{ql}{\beta qt} = m \cdot \frac{ql}{qt} \quad (2.4.1)$$

In formula as the mass m change a multiple of β , Inverse differential qt also geometric proportion change a multiple of β . The impulse of the force is an equal to, will the Inverse differential qt the second-order reduction be to the one-order. For this reason, equation finally of result, is versus the mass m and the inverse differential qt did not take place change same. Explain the same force, act the same distance, to the object that differ the mass, engender the same impulse (Have video experiment can testify [2]).

This is an interesting situation. For example, a force acting between two object of different masses, the distance at which the force acting on two object is different. So the impulse acting on the two objects is also different, so the two objects formation different momentum, so this situation leads directly to the momentum is not conservation.

A lot of physical quantity in the macroscopic the things, all in adapt to typical Inverse derivative computation. For example, make the helical spring release the force of certain length; the force of gunpowder deflagration in the catheter; prescribed distance races in sports competitions

Therefore, Inverse derivative computation and the new second the laws of motion, versus force and the motion of the object, has universal and broad meaning, and it has an important and very strange impact.

3. New Third Laws of Motion

The laws of motion of third, is show the object an interactional the laws [5, 6].

Hypothesis have two objects to Interacting, an object the mass is m , another an object the mass is m/β , so action in the force of the object of first is:

$$F_1 = m \cdot \frac{ql}{q^2 t^2} = ma \quad (3.0.1)$$

In the inverse derivative, the concept of acceleration is the same as the traditional acceleration in classical mechanics, so it is also suitable for the motion equation of uniformly accelerated linear motion, so the actual displacement of the object, should be one half of the displacement in the formula, which is $ql/2$.

But action on secondly the object the force is:

$$F_2 = \frac{m}{\beta} \cdot \frac{ql}{q^2 (t/\beta)(t/\beta)} = \frac{m}{\beta} \cdot \frac{\beta^2 ql}{q^2 t^2} \quad (3.0.2)$$

Two kind circumstance the forces the pressure, the fact is same. But along with two objects the mass be differ, opposite in two the Inverse differential qt of the time of objects also differed. The Inverse differential qt and object mass m be with geometric proportion change. But, at two objects interactional, without a doubt the force to two objects action that the time, should be same. So at this time:

$$F_2 = \frac{m}{\beta} \cdot \frac{ql}{q^2 (t/\beta)(t/\beta)} = \frac{m}{\beta} \cdot \frac{\beta ql}{q^2 t(t/\beta)} = \frac{m}{\beta} \cdot \frac{\beta(\beta ql)}{q^2 t^2} = \frac{m}{\beta} \cdot \beta^2 a \quad (3.0.3)$$

It can be seen after the third equal sign, the object true the mass is m/β , action the force the displacement is $\beta^2 ql/2$, but the true action time is qt , and the formula (3.0.1) the force F_1 be same, but the acceleration is $\beta^2 a$.

At this time obviously, the force F_1 and the force F_2 , pressure (Static-force pressure) although is same, but the move distance of the force F_2 is a multiple of β^2 that the force F_1 move distance.

In the above case, express the ql and the qt of the Inverse derivative, at that response the object the force same but the mass differs the circumstance, have the change. But the qt differ of that differ the mass the object, under the time same the circumstance of the object interaction, make the fact in small object in qt is to owned more ql . While if define the ql of the unit, represent the size of the unit and the dynamic action force of the strength. So at two objects act mutually, the fact owns the object of more ql , is tantamount to suffer the action of the larger force certainly.

Must advertent is in above process, the pressure of the force of the formula (3.0.1) and (3.0.2), in reality is same. This is a kind the pressure of the Static-force, use the pressure sensor can proceed the measurement. The acting force and the reaction force are size equal and direction opposite, this level in statics should still be right. And mutual action to at two objects, two the object the pressure of the forces is also a same.

According to above of analysis, can to propose the expression in new the third laws of motion

$$m_0 \cdot \frac{ql}{q^2 t^2} = m_0 a_0^+ = F_1 \Big|_{\substack{m=m_0 \\ a^+=a_0^+}} \Leftrightarrow F_2 \Big|_{\substack{m=m_0/\beta \\ a^+=\beta^2 a_0^+}} = \frac{m_0}{\beta} \cdot \frac{\beta^2 ql}{q^2 t^2} = \frac{m_0}{\beta} \cdot \beta^2 a_0^+ \quad (3.0.4)$$

or

$$F_1 = ma^+ \Leftrightarrow F_2 = \beta m \cdot \beta^{-2} a^+ \quad (3.0.5)$$

The formula shows that the force and reaction force, if by the

Newton's second law to represent, its size that is different. But in the new second and third laws, the action and reaction the force the static pressure is still the same, while the dynamic action force is different.

Indicating that the two objects interact, the two objects receive the dynamic force, in most cases are different. Above the principle, can also pass the another route to testify [3]. The earliest proof is at still adopt the Newton second law, and did not adopt the circumstance of the Inverse derivative been to achieve. The result that educe is complete almost with this same. (Attention: if β equal to 1 it be with Newton law same)

Therefore, while two objects act mutually, action in two objects the static pressure of the force are same. But when two the mass of object differs, action in two the dynamic action force of objects, is different however.

So, object to object mutual action the dynamic action force is:

$$F_1 = m \cdot \frac{ql}{q^2 t^2} = ql \cdot m \cdot \frac{1}{q^2 t^2} \quad (3.0.6)$$

And

$$F_2 = \frac{m}{\beta} \cdot \frac{\beta^2 ql}{q^2 t^2} = \beta^2 ql \cdot \frac{m}{\beta} \cdot \frac{1}{q^2 t^2} = \beta ql \cdot m \cdot \frac{1}{q^2 t^2} \quad (3.0.7)$$

Explain an object with a small mass β times, suffer the dynamic action force of the large β times. And the dynamic action force of the large β times, will still cause the impulse of the large β times.

This is the new the laws of motion of third. Namely two objects act mutually, the small object in mass is acted by large dynamic action force, the large object in mass is acted by small dynamic action force. That is, the magnitude of the dynamic acting force on the two objects with this two the size of the mass of objects inverse proportion.

The new the laws of motion of third also the enunciation, the object the mass differ action mutually, two the impulse the object engender differ. Therefore, after action, two the sum of the momentum of the objects is not zero. Shall take place the momentum changes namely. Therefore, in the laws of motion of the classical mechanics the law of conservation of momentum, also is wrong obviously [12]. According to the new the laws of motion of third, the momentum is not conservation [12].

Under the great majority circumstance, between the object action the acting force is not equal. This a phenomenon, will be widespread consist in, every of matter motion of the physical world in it.

For example, celestial body in the universe, the mutual attraction force is different. The planet is big to the attraction force of the satellite, but the satellite inverted to the planet the attraction force is small. This a principle to computation have the plenty orb complex the action the universe galaxy, may have distinct and important influence.

New laws of motion, new mechanics and cognize of the physics. Inevitable to the progress of human sciences, bring the bigness

effect.

4. The integral algorithm of the Inverse derivative

Integral computation (call inverse integral) toward Inverse derivative, will just the integration formula that the differential symbol, change to the Inverse differential symbol is then. The principle of its computation, or with the integral of the common derivative, did not difference.

Then the work done by computing force:

$$W_1 = \int F_1 q x = \int \left(m \cdot \frac{q l}{q^2 t^2} \right) q x = \frac{1}{2} m u^2 - \frac{1}{2} m u_0^2 \quad (4.0.1)$$

This is the same as the calculation of work in classical mechanics. The classical mechanics the equation of rectilinear motion, is also same that for use of in Inverse derivative computation.

In front mentioned, determine the force of the strength, act the same distance, to the object that differ the mass, produce the equivalence impulse. This a circumstance makes person interrogative, whether to represent the energy of the kinetic energy of the object, namely is the momentum of the object fact. Because with same dynamic action force, act in the object that mass differ, engender the same momentum. For example, use same helical spring, push the object of differ the mass, the momentum of an object for producing is same [1,2]. Therefore, the same elasticity potential energy release, producing the momentum of the object the same, doesn't this mean that momentum seems to be kinetic energy?

The actual isn't, for example the mass of the object if change a multiple of m/β , so:

$$W_2 = \int F_2 q x = \int \left(\frac{m}{\beta} \cdot \frac{q l}{q^2 (t/\beta)(t/\beta)} \right) q x = \frac{m}{\beta} \cdot \beta^2 \cdot \left(\frac{1}{2} u^2 - \frac{1}{2} u_0^2 \right) \quad (4.0.2)$$

The force action time that is at this time, then preceding a kind of circumstance the force the time of action, also minish a multiple of $1/\beta$. Its the time of action is short, mean the motility of the object stronger, therefore express the energy of the motion higher of the object. Namely exhibition the product bigger of the object mass with velocity square. Therefore, although the Static-force pressure of two kinds of circumstances is same, in reality these two kinds of circumstances however is not same.

But this time, bring the another question again. Namely above the spring the release the equivalence elasticity potential energy, but however engendered the object different the kinetic energy of motion? This does anti disobey with law of conservation of energy mutually [13]?. New physics phenomenon, versus between differ attribute matter energy, whether can keep to conservation of energy, bring forward the query.

Thereby computation of the inverse integral, for the force does the work and kinetic energy, is with classical mechanics to same. The force for does the work, equal the product to the force and its action distance. The kinetic energy of the object, that is also one-half of the product of the mass of the object and the square of its velocity.

However, the formula (4.0.1) and (4.0.2) is also the enunciation,

when the pressure of the force same, but among them of the mass of the object differ, act the same distance, its kinetic energy is different. This is different from classical mechanics again, in classical mechanics the force of the same size, act the same distance, its kinetic energy is same.

Concerning the computation of the impulse of the object:

$$J_1 = \int F_1 q t = \int \left(m \cdot \frac{q l}{q^2 t^2} \right) q t = m u \quad (4.0.3)$$

If the mass of the object changes a multiple of m/β :

$$J_2 = \int F_2 q t = \int \left(\frac{m}{\beta} \cdot \frac{q l}{q^2 (t/\beta)(t/\beta)} \right) q t \beta = \frac{m}{\beta} \cdot \beta u \quad (4.0.4)$$

Explain the force of the certain strength, act the same distance, to the object that differ the mass, produce the equivalence impulse. But at this time of circumstance, different from the circumstance of the classical mechanics. In classical mechanics, the force of the same size, act in the different object, act the same time, its impulse is same. But in above equation (4.0.3) and (4.0.4), the force of the same size, act in the different object, it's the impulse of action although same, but the time of action is different.

So the inverse integral compute the force the impulse, it is also the product of force and force act time.

5. Summing-up

The new secondly and third laws of motion denunciative, the force be that the object mass and acceleration the simple product not only. In reality with mass and the product of the acceleration, affirm that the size of the force is uncertain. The size of the force is may meterage, moreover its size with the mass and acceleration, have got the affirmative relation. But the size of the force, with the object the mass and acceleration, had got different the ratio. Therefore, cannot to conversion in simple and directly the both.

Newton's the laws of motion, for progress of the human science, exertion the enormous action. But the science wants develop, must renew the knowledge endlessly, and corrective mistake. This text the new secondly and third the laws of motion, be put forward the new perception with the principle of the physics and mechanics to motion of the matter, is to the develop of the Newtonian mechanics. Therefore, to say is new Newtonian mechanics.

Acknowledgements

Thank the Editorial Office. Thank references author.

Thanks to my teachers for me strong support for my scientific activities:

Professor Shixu Guan, Chief editor Xinmin Zhu, Principal Lanxu Xu.

Thanks to the university that once helped my:

Department head Shuquan Wang, Department head Xinde Jiang, Associate Professor Risheng Piao. And many teachers.

Thanks to the many scientific and technical workers, experts and scholars for me many of help.

References

1. Guag San Yu (2014) The experiment of physics of mechanics17: 56. <http://blog.sina.com.cn/u/2100834921>.

-
2. Guag San Yu (2014) The experiment of the Inertia-torque 13:25. <http://blog.sina.com.cn/u/2100834921>.
 3. GuagSan Yu (2014) Analyze Mistake of the Newton Third Law 22:57. <http://vixra.org/abs/1409.0115v2>.
 4. GuagSan Yu (2014) The Newton third law is wrong! 19:19 <http://blog.sina.com.cn/u/2100834921>.
 5. D Halliday, R Resnick. (1979) Physics foundation. Zeng Yongling. Beijing: Higher education publishing organization.
 6. Cheng Souzu, Jiang Ziyong (1961) Common physics. Beijing: People's education publishing organization.
 7. Stephen Fletcher Hewson (2010) A MATHEMATICAL BRIDGE an Intuitive Journey in Higher Mathematics. Shanghai: Shanghai Scientific & Technological Education Publishing House.
 8. W. Shere, G. Love (1974) APPLIED MATHEMATICS FOR ENGINEERING AND SCIENCE. Zou Huansan. Beijing: Science publishing organization.
 9. GuagSan Yu, The Inverse Derivative (2016) The New Algorithm of the Derivative. <https://www.hilarispublisher.com/open-access/the-inverse-derivative--the-new-algorithm-of-the-derivative-2168-9679-1000311.pdf>.
 10. Togqi University Mathematics department. (2007) (Sixth Edition) Higher Mathematics. Beijing: Higher Education Publishing Organization.
 11. Fan Yig Chuan (1958) Higher Mathematics Teaching Materials. Beijing: Higher education publishing organization.
 12. GuagSan Yu (2020) Momentum Is Not Conserved, <http://www.hillpublisher.com/UpFile/202012/20201231175340.pdf> [2020-12-31]
 13. Guag San Yu (2018) Energy Is Not Conserved, <https://www.hilarispublisher.com/open-access/energy-is-not-conserved-2168-9679-1000406.pdf> [2018-7-3]

Copyright: ©2021 Guag San Yu. This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.